

RABIES IN KUDUS AND ELAND?? IMPLICATIONS TO THE GAME INDUSTRYIN NAMIBIA

ulf Tubbesing

HISTORIC BACKGROUND

- Fatal Viral Disease of Manuals
- Known since Ancient Times
- Endemic in Namibia, esp. Central and North now even far South!
- Fírst Proven Major Outbreak in Kudu in Namibia 1977 - 1985 since then Sporadic
- Different strain in Kudus?

Aetiology and Epidemiology

- Single Strain affects All Mammals?
- Very labile Virus Close Contact needed
- Some Spp more important in spreading disease
- Some Spp more susceptible Kudu and Eland
- High Risk in Sociable Species and with high Population Density (or both)





SOCIAL BEHAVIOUR OF KUDU PREDISPOSES

- . VERY SOCIABLE ANIMALS GROOMING, BROWSING
- . BREEDING IN AUTUM EARLY WINTER
- . THEN SPLIT TO:
 - . BACHELOR GROUPS
 - . COW-CALF HERDS (BULLS < 2 YEARS)
- . BULL HOME RANGE

 $+/-11 \text{ KM}^2$


MIGRATIONS???

. RABIES MOSTLY IN BULLS??



DRY - WETSEASON PREFERENCES

BULLS WILL LEAVE PREFERRED HABITAT FOR COW/ CALF HERDS





Transmission

- Vírus in saliva for last few d of life
- Exposure till Disease: Days months
- Mostly Through bite (Jackal, Dog etc.)
- Kudu to Kudu?







WHY IS RABIES IN KUDU NOT ASSOCIATED WITH A HIGH INCIDENCE OF RABIES IN PREDATORS?

- Kudus don't bite Predators
- Virus dies shortly after death of host
- Predators on Farmland are solitary
- Groups of Lions, Wild Dogs, Bat Eared





HOW DO I KNOW AN ANIMAL HAS



RABIES?

- ·Suggestive Symptoms
- ·Tame \longleftrightarrow Wild (Vice versa)
- ·All Cats become Vicious!
- ·Species, Season, History



ONLY LAB TESTS CAN CONFIRM DIAGNOSIS!!







HOW DO I KNOW IT'S RABIES?

Could it be Mad Cows Disease?

- ·ONLY LAB TESTS (IFA + IHC)
- ·CAN CONFIRM DIAGNOSIS!!







WHAT PRECUTIONS CAN I TAKE?

Vaccinate annually (Man and Beast)!!

Educate Famíly (Cute is not always cute)

- Inform Neighbours!!
- Stay Away from Animals showing Strange Behaviour!!
- Vaccinate Game How?
- Game Camps?





How should I Manage the Outbreak of Rabies in my Kudu/Eland Population?

- Let Nature Run its Course?
- Vaccinate?
- Culling?
- Capture and Sell??
- Is a Trophy Hunt still on?
- Can the Meat be used?
 - Own Consumption
 - Commercial Sale
 - How to Handle carcase or meat





HOW DO I VACCINATE MY GAME?




Capture, vaccinate and release

Oral vaccines – unsolved Problems!

Dart vaccinate - currently the most (cost) effective method

IMPORTANT FACTS TO CONSIDER WITH VACCINATIONS


- Booster vaccinations are ideal but expensive
 - in for a penny, in for a pound
- Ideally Vaccinate annually (at least every 2 years!)
- Vaccinate ALL animals (K & E)
- Vaccinate BEFORE an outbreak
- Vaccinate before leaves on trees
- The vaccine DOES NOT CURE!
- It is a dead vaccine and DOES NOT CAUSE DISEASE
- After vaccination during an outbreak there will be a lag effect before mortalities stop!



FIRST AID TIPS

- When Exposed, THOROUGHLY WASH Wounds with Soap!!!
- Where Rabies Vacc Status is unknown for the Animal AND High Index and Suspicion
 Kill and Submit Head For Testing
- If Positive, Consult Dr for Treatment
- If Lab Test not Possible Consult Vet. / Dr. for Treatment Recommendations

Are High Mortalities in High Density Kudu Populations always due to Rabies?



WINTER-SPRING STARVATION BOTTLENECK IN BROWSE AVAILABILITY COINCIDES WITH PEAK RABIES INCIDENCE - CONGREGATION AT WATER!

HIGH STOCKING DENSITY - LONGER STARVATION BOTTLE NECK + INCREASED RISK OF DISEASE TRANSMISSION!!!

PREDICTING KUDU MORTALITIES -MANAGEMENT PLANNING

- . HIGH KUDU POPULATION DENSITY IN THE AREA
 - -> PROLONGED FOOD SHORTAGE IN DRY SEASON
- . POOR PRECEDING RAINING SEASON LATE LEAF COVER ON BUSH THUS PROLONGED PERIOD OF FOOD SHORTAGE
- . EARLY SEVERE FROST EARLY LEAF LOSS AND PROLONGED PERIOD OF FOOD SHORTAGE
- . SEVERE COLD STRESS -
 - . REDUCED LEAF MASS
 - . SEEKING SHELTER EATING LESS
 - . INCR. SUSCEPTIBILITY TO DISEASE, PREDATION ETC.

