

INSECTS OF WESTERN NORTH AMERICA

**13. A BRIEF SYNOPSIS OF THE WEEVILS
(COLEOPTERA: CURCULIONIDAE) OF COLORADO,
U . S. A.**

**by
Donald E. Bright**

Contributions of the C. P. Gillette Museum

of Arthropod Diversity

Department of Agricultural Biology

Colorado State University

Fort Collins, Colorado

INSECTS OF WESTERN NORTH AMERICA

**13. A BRIEF SYNOPSIS OF THE WEEVILS
(COLEOPTERA: CURCULIONIDAE) OF COLORADO,
U. S. A.**

**by
Donald E. Bright**

Contributions of the C. P. Gillette Museum

Department of Agricultural Biology

Colorado State University

February 10, 2022.

ISBN 1084-8819

**This publication and others in the series are open access and may be
accessed and downloaded at no cost at:**

Publications- C. P. Gillette Museum of Arthropod Diversity
(mountainscholar.org)
or by requesting a copy from the museum.

Copyright 2022

TABLE OF CONTENTS

Abstract	1
Introduction.....	1
Methods.....	3
Key to subfamilies of Curculionidae in Colorado	4
Anthonominae.....	10
Bagoinae	14
Baridinae	15
Ceutorhynchinae	21
Conoderinae	26
Cossoninae	27
Cryptorhynchinae.....	28
Curculioninae.....	30
Cyclominae	31
Dryophthorinae	33
Entiminae	35
Eirrhinae	46
Hyperinae	51
Lixinae	52
Mecininae.....	56
Mesoptilinae.....	57
Molytinae	58
Otidoccephalinae	61
Platypodinae.....	61
Rhynchaeninae.....	61
Scolytinae.....	62
Thecesterninae	83
Tychinae.....	82
References.....	84
Index of Colorado genera of Curculionidae	95

13.A BRIEF SYNOPSIS OF THE WEEVILS (COLEOPTERA: CURCULIONIDAE) OF COLORADO, U. S. A.

Donald E. Bright
C. P. Gillette Museum of Arthropod Diversity
Department of Agricultural Biology
Colorado State University, Fort Collins, Colorado 80523

ABSTRACT: This is the first checklist or catalog of the Curculionidae of Colorado since Wickham's (1902) Catalog of the Coleoptera of Colorado. Wickham listed about 250 species of Curculionidae from the state. Currently 598 species in 175 genera of Colorado weevils and bark beetles are herein listed with information regarding their distribution within the state when the information was available. More than one hundred new records for the state are recorded.

*Owing to its meeting of different faunae in Colorado, the state
as a whole is extraordinarily rich in species.*
(Cockerell 1893)

INTRODUCTION

The comment by Cockerell given above can certainly be applied today. The diversity of habitats within the state and in adjacent states provides an abundance of conditions for species abundance.


Wickham, in 1902, published a comprehensive list of the Coleoptera of Colorado based on several lists by previous authors. The first of these was Thomas in 1869. Wickham listed about 250 species of Curculionidae in present day classification. Wickham also includes a very interesting review of the history of entomological activities in the state.

Concerns about biodiversity are rising dramatically, yet we are without the most basic prerequisite for its understanding and conservation; an inventory of the biota. Insect species comprise five to ten times the number of other plant and animal species combined, and because of this immense number they represent a major challenge in biosystematics sciences.

Coleoptera, one of the major assemblages of species, are a major impediment to understanding the biodiversity of Colorado. Owing to its meeting of different fauna in Colorado, the State as a whole is extraordinarily rich in species.

Curculionidae is one of the largest family in the Coleoptera. In the New World north of South America it contains 843 genera and 7,068 species (O'Brien and Wibmer, 1982). In Colorado it contains 175 genera and about 598 species.

This contribution contains a list of all the recorded species of Coleoptera in the family Curculionidae in Colorado. If known, the distribution, at the county level, of each species is listed. Colorado, with an area of 26,998,930 ha (103,922 sq. miles), is the 8th largest state in the United States and includes three-quarters of the nation's land above 3,048 m (10,000 ft.). The state can be divided into three distinct natural regions; 1) the western extension of the Great Plains that encompasses approximately the eastern 40 percent of the state, 2) the Mountain Region that rises abruptly from the Plains and encompasses the central third of the state, and 3) the Plateau Region that gradually descends from the mountains to the western border with Utah, and occupies about the western third of the state. From the eastern border with Nebraska and Kansas at an elevation of about 1,066 m (3,500 feet), the Plains Region rises gradually upward to the base of the Rocky Mountains. This area was once comprised primarily of shortgrass prairie, but has been converted to other uses, primarily agricultural, by humans. Along the Front Range, the grassland merges with ponderosa pine and pinyon pine-juniper woodlands or shrublands at the base of the mountains. The Mountain Region ranges in elevation from approximately 5,000 ft to more than 12,000 feet (52 mountain peaks exceed 14,000 feet) and occupies the central third of the state. It is comprised mainly of dense forests of Engelmann Spruce, Douglas-fir, subalpine fir, lodgepole pine, aspen and, at the higher elevations, vast areas of alpine tundra. Less frequently, but common in this zone are white fir, bristlecone pine, blue spruce and corkbark fir. The Rocky Mountains west of the Continental Divide descend to broad tablelands and mesas covered with big sagebrush and other semi-arid species. The Colorado River and its tributaries dissect the Plateau Region in numerous rocky canyons and arid valleys. The higher elevations are clothed with pinyon pine-juniper woodlands.



County map of Colorado

From: David Benbennick: <http://en.wikipedia.org/wiki/File:Map>

Methods

Two contributions (O'Brien & Wibmer, 1981 and Wood, 1982) provide the basic sources of information used herein aided by the contributions by Anderson (2002) and Rabaglia (2002) plus numerous additional revisions listed in the references cited portion of this document.

A third major source of distribution is the large database that may be found at scan-bugs.org/portal/checklist.php or scan-bugs.org/portal/collections/index.php. This database lists most, if not all, of the specimens of weevils and their distribution in Colorado housed in various collections. This database has been searched for the C. P. Gillette collection and the University of Colorado Museum of Natural History. The database is recorded as (R39). Records from the Colorado Museum of Natural History are recorded as (R39,UC), from the

C. P. Gillette Museum of Arthropod Diversity as (R39,GM), from the Utah Museum of Natural History as (R39,UMNH) and from the M. L. Bean Life Sciences Museum as (R39,BYU). The U. S. Museum of Natural History was also superficially searched and records found are recorded as (R39,USNM).

The distributions for species given in O'Brien & Wibmer (1981) lists only the state where the species is recorded.

In order to avoid a continuous repeat of authors name, I have given each reference seen a number with "R__". In the references cited portion of this work I have listed references seen by number in one list and by the authors name in a second list.

The distribution of each species is listed by counties if the information is available. If not, the term "State record only" followed by the source is used. In order to provide information concerning the source of the data, the source is given by "R__" numbers in paranethsis which indicate the reference where the locality data may be found. In addition, only (GM) after a county record refers to the C. P. Gillette Museum of Arthropod Diversity, CSU, Ft. Collins, CO. and (UC) refers to the University of Colorado Museum of Natural History Entomological Collection.

A key to the subfamilies of Colorado Curculionidae is provided.

Key to subfamilies of Curculionidae in Colorado

(Adapted from Kissinger, 1970 and Anderson, 2002)

1. Rostrum absent; tibia with socketed teeth along dorsal margin. . 2
- Rostrum variable either very long and cylindrical to short and broad, rarely nearly absent; tibia lacking denticles along dorsal margin 3

2. Tarsus with segment 1 as long as segments 2-5 combined; head as wide as pronotum; pronotum constricted at middle, antennal club without sutures Platypodinae
- Tarsus with segment 1 not longer than segments 2-5; head narrower than than pronotum, often concealed in dorsal view; antennal club with sutures Scolytinae

3. Rostrum very broad, very short, fitting into large, very deep emargination anterior of front coxae; tarsal segments cylindrical; humeral angles strongly projecting forward.
- Thecesterininae
- Rostrum free or fitting into deep groove anterior of front coxae,

- groove as wide as rostrum and not as above; third tarsal segment bilobed; humeral angles not strongly projecting forward 4
4. One or both mandibles with an apical round or oval scar marking point of attachment of deciduous cusp; rostrum stout, quadrate, usually shorter than prothorax, often expanded laterally toward apex and often with one or more longitudinal grooves. Entiminae (in part)
- Both mandibles without a distinct scar or cusp; rostrum variable in length or stoutness 5
5. Rostrum stout, usually shorter than prothorax, often expanded at apex with antennal insertions on lateral or dorsal surface; mandibles large, distinct, flattened, extending over mouthparts; mentum large, covering maxillae; anterior edge of prothorax extended into postocular lobes. Entiminae (in part)
- Rostrum normally as long or longer than prothorax, thickness variable; mandibles often small; mentum small, not covering mouthparts; anterior edge of prothorax straight or extended into postocular lobes 6
6. Rostrum at rest free, not fitting into a median channel on prosternum 7
- Rostrum at rest fitting into a median channel on prosternum or if not fitted in the sternal channel, then prosternum longitudinally impressed or grooved 37
7. Antennal scape extending well beyond posterior edge of eye; antennal club solid, without segments, basal portion glabrous and shining, apical portion with setae; funicle 4- or 5-segmented. Dryophthorinae
- Antennal scape shorter, rarely reaching posterior edge of eye; antennal club segmented, with setae; funicle 4-or 6-segmented 8
8. Mesepimeron not ascending, not visible from above. 9
- Mesepimeron strongly ascending, visible from above between base of pronotum and base of elytra 35
9. Front coxae contiguous, may be slightly separated but then then prosternal process not complete 10
- Front coxae distinctly separated by a complete process of the prosternum 33

10. Posterior femur swollen or inflated, distinctly thicker than anterior femur Rhynchaeninae
- Posterior femur similar to others 11
11. Suture between 2nd and 3rd abdominal sternites strongly produced backward laterally, reaching or surpassing suture between third and fourth sternites Tychiinae
- Suture between 2nd and 3rd abdominal sternites straight, or at most only weakly produced backward laterally, not reaching suture between 3rd and 4th sternite 12
12. Tarsal claws simple; 2nd abdominal sternite longer than 3rd, usually as long as 3rd and 4th together 13
- Tarsal claws cleft, with a basal tooth or process; abdominal sternites 2-4 usually about equal in length 26
13. Tarsal claws connate at base 14
- Tarsal claws free at base 16
14. Antennal funicle 5-segmented; pygidium exposed. Mecininae
- Antennal funicle 6- or 7-segmented; pygidium concealed. 15
15. Eye not obscured by anterior edge of prothorax; anterior edge of prothorax with long postocular setae; anterior edge of prothorax may be extended into postocular lobes. Lixinae (in part)
- Eye partially concealed by postocular lobe of anterior edge of prothorax; long postocular setae absent. . . Erirhininae (in part)
16. Tarsal segment 3 deeply emarginate, segment 4 not extending beyond lobes of segment 3; body covered with a waterproof coating Erirhininae (*Notiodes*)
- Tarsal segment 3 not deeply bilobed, segment 4 extending well beyond lobes of segment 3; body with or without a waterproof coating 17
17. Metepimeron visible, with vestiture and sculpturing similar to that of metepisternum. 18
- Metepimeron not visible, normally covered by elytra, with vestiture and sculpturing finer than that on metepisternum. 20
18. Uncus on hind tibia projecting from slightly behind anterior edge of tibia; body usually without scales dorsally but with stellate

- scales ventrally. Magdalinae (*Magdalis*)
- Uncus on hind tibia projecting from anterior edge of tibia; body clothed dorsally and ventrally with narrow elongate scales Molytinae (*Lepyrus*)
19. Prothorax with distinct postocular lobes. .Cyclominae (*Listronotus*)
- Prothorax lacking postocular lobes 20
20. Anterior edge of prothorax slightly sinuate in lateral view, may appear to have a very weak postocular lobe; body strongly punctured and tuberculate; body length 7.0 mm or more. Molytinae (in part)
- Anterior edge of prothorax straight, without any indication of a postocular lobe; body sculpture variable; length variable. . . 21
21. Front coxae much closer to posterior edge of prosternum than to anterior edge Erirhininae (in part)
- Front coxae about equidistant from anterior and posterior edges of prosternum 22
22. Eyes narrowly separated; body length about 1.25 mm; body often with a waterproof coating. Erirhininae (in part, *Tanysphyrus*)
- Eyes widely separated; body length 1.0 mm or longer than 1.27 mm; body without waterproof coating 23
23. Eyes transversely oval or round, if oval then rostrum stout and densely and rather uniformly setose; if round, then elytra bicolored with basal portion having greenish scales, median portion with a broad V-shaped band of white scales and apical portion with greenish scales and rostrum slender. . . . Hyperinae
- Eyes nearly round; elytra not bicolored; rostrum variable in stoutness and setation 24
24. Mandibles with abundant, intermixed scales and setae. Entiminae (in part, *Sitona*)
- Mandibles glabrous or only with sparse setae, scales absent. 25
25. Rostrum stout, width at insertion of antenna equal to or greater than width of eye; rostrum shorter than prothorax. Entiminae (*Lepidophorus*)
- Rostrum slender, width at insertion of antenna much less than width of eye; rostrum longer than prothorax . . . Anthonominae (in part)

26. Front coxae about equidistant from anterior and posterior edges of prosternum 27
- Front coxae much closer to posterior edge of prosternum than to anterior edge 30
27. Prothorax longer than wide, strongly narrowed at base; hind tibia with a small uncus; antennal scrobe located ventrally; body nearly glabrous Otidocephalinae
- Prothorax wider than long, not constricted at base; hind tibia with mucro or uncus; antennal scrobe located laterally; body variously with scales and/or setae 28
28. Hind tibia uncinata, with uncus longer than tarsal claws; first tarsal segment longer than fourth; eye transversely oval. Magdalinae (in part)
- Hind tibia unarmed or mucronate, or if apparently uncinata, with uncus distinctly shorter than tarsal claws; first tarsal segment shorter than fourth; eye not transversely oval 29
29. Hind tibia not narrowed apically; hind femora not much stouter than middle femora. Anthonominae (in part)
- Hind tibia narrowed apically; hind femora stouter than middle femora. Rhynchaeninae
30. Pronotum with anterolateral spine-like projections Magdalinae (in part)
- Pronotum without such projections 31
31. Prothorax oval, longer than wide, narrowed at base; hind tibia uncinata; antennal scrobe located more ventrally; body nearly glabrous Otidocephalinae
- Prothorax wider than long, not wider in middle than at base; hind tibia unarmed or mucronate; antennal scrobes located laterally; setae on body variable 32
32. Femora with stout triangular spine; elytra with slender elongate scales; rostrum slender, often as long as body or longer Curculioninae (*Curculio*)
- Femora without such a spine; elytra with inconspicuous, short fine setae. Erirhininae (in part)
33. Eyes narrowly separated by frons, separation equal to or less than maximum diameter of antennal club; front femora toothed, sometimes

- strongly so; pygidium concealed or exposed; base of elytra produced over base of prothorax; elytra black, usually with a reddish area; pygidium exposed; rostrum generally cylindrical. Magdalinae (in part, *Laemosaccus*)
- Eyes broadly separated by frons, separation distinctly greater than maximum diameter of antennal club; front femora not toothed; pygidium concealed. 34
34. Rostrum very short, broad, much shorter than length of prothorax; vestiture of variegated hairlike setae, with numerous light spots Lixinae (in part)
- Not as above 35
35. Apex of hind tibia with comb of setae along dorsal edge; rostrum about as long as prothorax. Molytinae (*Pissodes*)
- Apex of hind tibia without comb of setae along dorsal edge; rostrum usually shorter than prothorax. Cossoninae (in part)
36. Eyes very narrowly separated by frons. Conoderinae (in part)
- Eyes widely separated by frons. 37
37. Antennal funicle 6-segmented; tarsal claws simple or toothed Ceutorhynchinae (in part)
- Antennal funicle 7-segmented; tarsal claws simple or with single claw Baridinae (in part)
38. Antennal funicle 6- or 7-segmented. 39
- Antennal funicle 5-segmented. Mecininae
39. Prosternum very weakly impressed; mesepimeron visible between base of elytra and base of pronotum. Baridinae (in part)
- Prosternum distinctly and /or deeply impressed; mesepimeron not visible between base of elytra and base of pronotum. 40
40. Eyes widely separated by frons, completely to partly covered by postocular lobes of prothorax when rostrum in repose 41
- Eyes very narrowly separated by frons, not covered by postocular lobes when rostrum in repose. Conoderinae (in part)
41. Pygidium covered by elytra; tibia with uncus 42
- Pygidium exposed; tibia without uncus, but may be mucronate Ceutorhynchinae (in part)

42. Body generally with dense varnish-like coating; 3rd tarsal segment generally as wide or narrower than preceding segments, not bilobed; front coxae contiguous; tarsal claws free, simple
 Bagoinae
- Body without dense varnish-like coating; 3rd tarsal segment usually wider than preceding segments, bilobed; front coxae separated or tarsal claws toothed or connate Molytinae (in part)

SUBFAMILY ANTHONOMINAE

Anthonomopsis Dietz, 1891; O'Brien & Wibmer, 1982, p. 105; Anderson 2002, p. 736.
 (1 sp., recorded from Colorado).

mixta (LeConte), 1876; O'Brien & Wibmer, 1982, p. 105.
 County records: Denver (R39); El Paso, Larimer (R41).

Anthonomus Germar, 1817; O'Brien & Wibmer, 1982, p. 105; Anderson, 2002, p. 736.
 (110+ Nearctic spp., 23 are recorded from Colorado).

albopilosus Dietz, 1891; O'Brien & Wibmer, 1982, p. 106.
 County record: Yuma (R39). (New state record).

appositus Fall, 1913; O'Brien & Wibmer, 1982, p. 106.
 State record only (R15).

bolteri Dietz, 1891; O'Brien & Wibmer, 1982, p. 106.
 State record only (R15).

confusus Dietz, 1891; O'Brien & Wibmer, 1982, p. 106.
 County records: El Paso, La Plata, Larimer (R39). (New state record).

cycliferus Fall, 1913; O'Brien & Wibmer, 1982, p. 106.
 State record only (R15).

decipiens LeConte, 1876; O'Brien & Wibmer, 1982, p. 106.
 County record: Archuleta (R10 & R39); Costilla, Dolores, Huerfano, Jefferson, Larimer (R41). (New state record).

elongatus LeConte, 1891; O'Brien & Wibmer, 1982, p. 107.
County record: Dolores (R41). (New state record).

grandis Boheman, 1843; O'Brien & Wibmer, 1982, p. 107.
County record: Larimer (GM). (New state record).

haematopus Boheman, 1843; O'Brien & Wibmer, 1982, p. 107.
County records: Denver, Dolores, Larimer (R41).

heterogenus Dietz, 1891; O'Brien & Wibmer, 1982, p. 107.
State record only (R15).

jacobinus Dietz, 1891; O'Brien & Wibmer, 1982, p. 108.
County records: Alamosa, Chaffee, Costilla, Durango,
El Paso, Huerfano, Larimer, Mesa, Montezuma,
Rio Blanca (R10).

melancholicus Dietz, 1891; O'Brien & Wibmer, 1982, p.
108.
State record only (R41).

musculus Say, 1831; O'Brien & Wibmer, 1982, p. 108.
County record: Weld (R3).

nebulosus LeConte, 1876; O'Brien & Wibmer, 1982, p. 108.
State record only (R15).

ochreopilosus Dietz, 1891; O'Brien & Wibmer, 1982, p.
109.
County record: Weld (R39, R14). (New state record).

profundus LeConte, 1876; O'Brien & Wibmer, 1982, p. 109.
State record only (R15).

quesnelensis Sleeper, 1955; O'Brien & Wibmer, 1982, p.
109.
County records: Alamosa, Archuleta, Boulder, Chaffee,
Douglas, El Paso, Gunnison, Gilpin, Grand, Huerfano,
Jackson, Jefferson, La Plata, Larimer, Las Animas,
Ouray, Park, Pitkin, Pueblo, Rio Grande, Routt, Teller,
Weld (R10). (New state records).

robustus LeConte, 1876; O'Brien & Wibmer, 1982, p.

109.

County record: Jefferson (R39). (New state record).

rufipennis LeConte, 1876; O'Brien & Wibmer, 1982, p.

109.

County record: Costilla (R41). (New state record).

rufipes LeConte, 1876; O'Brien & Wibmer, 1982, p.

109.

County records: Boulder (R39). (New state record).

rubidus LeConte, 1876; O'Brien & Wibmer, 1982, p. 109.

State record only (R15).

signatus Say, 1831; O'Brien & Wibmer, 1982, p. 110.

County records: Larimer, Montezuma (GM).

(New state record).

sphaeralciae Fall, 1913; O'Brien & Wibmer, 1982, p. 110.

County records: Larimer, Weld, Delta (GM); Boulder
(R39).

squamosus LeConte, 1876; O'Brien & Wibmer, 1982, p. 110.

County records: Boulder, Larimer, Weld (GM);
Arapahoe; Clear Creek, Costilla; Denver,
Douglas; El Paso, Gilpin, Huerfano, Jefferson,
Ouray (R39); Pueblo, Larimer, La Plata, Moffet,
Montezuma, Park, Routt, Weld (GM).

stolatus Fall, 1913; O'Brien & Wibmer, 1982, p. 110.

County records: Weld (R39).

tectus LeConte, 1876; O'Brien & Wibmer, 1982, p. 110.

County record: Sedgwick (GM). (New state record).

tenius Fall, 1913; O'Brien & Wibmer, 1982, p. 110.

County records: Adams, Archuleta, Baca, Boulder, Chaffee,
Clear Creek, Costilla, Denver, Douglas; El Paso, El
Paso, Gilpin, Jefferson, Larimer, Montezuma, Park, San
Miguel, Weld (GM).

Chelonychus Dietz, 1891; O'Brien & Wibmer, 1982, p. 105; Anderson,
2002, p. 737.

(2 Nearctic spp., 1 is recorded from Colorado).

longipes Dietz, 1891; O'Brien & Wibmer, 1982, p. 105.
State record only (R15, R41).

Coccotorus LeConte, 1876; O'Brien & Wibmer, 1982, p.111;
Anderson 2002, p. 737.
(4 Nearctic spp., 2 are recorded from Colorado).

hirsutus Bruner, 1888, p. 126; O'Brien & Wibmer, 1982, p.
111.
County record: Larimer (GM). (New state record).

scutellaris LeConte, 1858; O'Brien & Wibmer, 1982, p. 111.
County records: Crowley (R41); Boulder, Larimer
(GM).

Epimechus Dietz, 1891; O'Brien & Wibmer, 1982, p. 111; Clark
& Burke, 2001, p. 95; Anderson, 2002, p. 737.
(11 Nearctic spp., 3 are recorded from Colorado).

curvipes Dietz, 1891; O'Brien & Wibmer 1982, p. 111; Clark and
Burke, 2001, p. 98.
County records: El Paso, Larimer, Montezuma, Montrose, Rio
Blanco, San Miguel (R25).

hesperius Clark and Burke, 2001.
County records: Boulder, El Paso, Larimer, Montezuma, Weld
(R25).

nevadicus Dietz, 1891; O'Brien & Wibmer 1982, p. 112.
State record only (R15).

signatum Clark and Burke, 2001, p. 111.
County records: Bent, Chaffee, Eagle, El Paso, Gunnison,
Larimer (R25).

Macrorhoptus LeConte, 1876; O'Brien & Wibmer, 1982, p. 104;
Anderson, 2002, p. 740.
(6 Nearctic spp., 1 is recorded from Colorado).

hispidus Dietz, 1891; O'Brien & Wibmer, 1982, p. 104.
County records: Jefferson (R39); Kiowa, Larimer,

Mesa, Weld (GM).

Pseudanthonomus Dietz, 1891; O'Brien & Wibmer, 1982, p. 113;
Anderson, 2002, p. 737.
(7 Nearctic spp., 1 is recorded from Colorado).

validus Dietz, 1891; O'Brien & Wibmer, 1982, p. 113.
State record only (R15 & R41).

Tachypterellus Fall & Cockerell, 1907; O'Brien & Wibmer,
1982, p. 105; Anderson, 2002, p. 737.
(2 Nearctic spp., both recorded from Colorado).

consors cerasi List, 1932, p. 8; O'Brien & Wibmer, 1982,
p. 105.
County records: Durango, El Paso, Fremont, Larimer
(GM).

quadrigibbus (Say), 1831, p. 15; O'Brien & Wibmer, 1982,
p. 105.
County records: El Paso, La Plata, Mineral (R39);
Fremont, Larimer (GM).

SUBFAMILY BAGOINAE

Bagous Germar 1817; O'Brien & Wibmer, 1982, p. 93; Anderson,
2002, p. 740.
(33 Nearctic spp., 2 are recorded from Colorado).

nebulosus LeConte 1876, p.186; O'Brien & Wibmer, 1982, p. 93;
O'Brien and Anderson, 1996, p. 22.
State record only (R15).

transversus LeConte 1876, p. 188; O'Brien & Wibmer, 1982, p. 93;
O'Brien and Anderson, 1996, p. 23.
County record: Arapahoe (R39); Las Animas (GM). (New state
record?).

SUBFAMILY BARIDINAE

Apinocis Lea, 1927; Anderson, 2002, p. 746.

(15 Nearctic spp., 3 are recorded from Colorado).

decorus (Casey), 1920; O'Brien & Wibmer, 1982, p. 205.

State record only (R15).

deplantus (Casey), 1892; O'Brien & Wibmer, 1982, p. 205.

County record: Larimer (GM).

scolopax Say, 1832; O'Brien & Wibmer, 1982, p. 186; Anderson, 2002, p. 745; Prena, 2012, p. 241.

State record only (Prena 2011).

Barilepton LeConte, 1876; O'Brien & Wibmer 1982, p. 206; Anderson, 2002, p. 746.

(4 Nearctic spp., 1 is recorded from Colorado).

famelicum Casey, 1892, p. 677; O'Brien & Wibmer 1982, p. 206.

County records: Weld (R41); Boulder, Kiawa, Larimer, Yuma (GM).

Baris Germar, 1817; O'Brien & Wibmer, 1982, p. 182; Anderson, 2002, p. 745.

(92 Nearctic spp., 15 are recorded from Colorado).

denverensis Casey, 1920; O'Brien & Wibmer, 1982, p. 182.
State record only (R15).

hispidula Casey, 1892; O'Brien & Wibmer, 1982, p. 183.
State record only (R15, R41).

inconspicua Casey, 1892; O'Brien & Wibmer, 1982, p. 183.
State record only (R15, R41).

interstitialis (Say), 1824; O'Brien & Wibmer, 1982, p. 183.

County records: Fremont (R41); Archuleta, El Paso, Mesa, Powers, Sedgwick, Larimer (GM).

meraca Casey, 1920; O'Brien & Wibmer, 1982, p. 184.
182 (R39,USNM).

oviculata Casey, 1920; O'Brien & Wibmer, 1982, p.
184.
County record: Weld (R39,USNM).

probata Casey, 1920; O'Brien & Wibmer, 1982, p.
184.
County record: Weld (R39,USNM).

porosicollis Casey, 1892; O'Brien & Wibmer, 1982, p.
184.
County record: Weld (R41). (New state record).

transversa (Say), 1831; O'Brien & Wibmer, 1982, p.
185.
County records: Custer, El Paso, Jefferson, Otero
(R41). (New state record).

rusticula Casey, 1920; O'Brien & Wibmer, 1982, p.
185.
State record only (R15).

socialis Casey, 1892; O'Brien & Wibmer, 1982, p.
185.
County record: Boulder (GM).

soluta Casey, 1892; O'Brien & Wibmer, 1982, p.
185.
County record: Larimer (GM).

strenua (LeConte), 1868; O'Brien & Wibmer, 1982, p.
185.
County records: Otero (R41); Conejos, Larimer (GM).

striata (Say), 1831; O'Brien & Wibmer, 1982, p.
185.
County records: Huerfano (R41); Kiowa, Larimer, Yuma
(GM). (New state record).

subsimilis Casey, 1892; O'Brien & Wibmer, 1982, p.

185.
State record only (R15).

umbilicata (LeConte), 1868; O'Brien & Wibmer, 1982, p.
185.
County records: Larimer (GM); Denver (R41). (New state
record).

Calandrinus LeConte, 1876; O'Brien & Wibmer, 1982, p. 201;
Anderson, 2002, p. 746.
(2 Nearctic spp., both are recorded from Colorado).

grandicollis LeConte, 1876; O'Brien & Wibmer, 1982, p. 201.
County records: Weld (R14); Custer, El Paso, Larimer
(R41); Pueblo (R39).

obsoletus Casey, 1892; O'Brien & Wibmer, 1982, p. 201.
County records: Weld, Larimer, Pueblo, Yuma (GM); El
Paso (R39,USNM).

Centrinaspis Casey, 1920; O'Brien & Wibmer, 1982, p. 197;
Anderson, 2002, p. 747 (cited as a synonym of *Geraeus*
Pascoe).
(63 Nearctic spp., 2 are recorded from Colorado).

aequalis Casey, 1920; O'Brien & Wibmer, 1982, p. 197.
County record: Weld (R39,USNM).

perscilla (Gyllenhall), 1836; O'Brien & Wibmer, 1982, p. 197.
County record: Larimer, Weld (GM). (New state
record).

Centrinogyna Casey, 1892; O'Brien & Wibmer, 1982, p. 201;
Anderson, 2002, p. 746.
(5 Nearctic spp., 1 is recorded from Colorado).

strigata (LeConte), 1876; O'Brien & Wibmer, 1982, p. 201.
County records: Boulder (R39); Weld (R41).

Cosmobaris Casey, 1920; O'Brien & Wibmer, 1982, p. 186;
Anderson, 2002, p. 745.
(1 Nearctic sp., recorded from Colorado).

americana Casey, 1920; O'Brien & Wibmer, 1982, p. 186.
County records: Boulder, Kiowa, Larimer, Washington,
Weld (R39, GM, R14).

Cylindridia Casey, 1920; O'Brien & Wibmer, 1982, p. 203;
Anderson, 2002, p. 746.
(4 Nearctic spp., 3 are recorded from Colorado).

perexilis Casey, 1920; O'Brien & Wibmer, 1982, p. 203.
State record only (R15).

prolixa (LeConte), 1876; O'Brien & Wibmer, 1982, p. 203.
County record: Weld (R15, R41).

simulator Casey, 1920; O'Brien & Wibmer, 1982, p. 203.
State record only (R15).

Hesperobaris Casey, 1892; O'Brien & Wibmer, 1982, p. 188;
Anderson, 2002, p. 745.
(2 Nearctic spp., 1 is recorded from Colorado).

suavis Casey, 1892; O'Brien & Wibmer, 1982, p. 188.
County record: Montezuma (GM).

Madarellus Casey, 1892; O'Brien & Wibmer, 1982, p. 192;
Anderson, 2002, p. 745.
(21 Nearctic spp., 1 recorded from Colorado).

undulatus (Say), 1824; O'Brien & Wibmer, 1982, p. 192.
County records: Boulder, Denver, Larimer, Weld (GM). (New
state record).

Nicentrus Casey, 1892; O'Brien & Wibmer, 1982, p. 200;
Anderson, 2002, p. 747.
(20 Nearctic spp., 1 recorded from Colorado).

montanus Casey, 1920; O'Brien & Wibmer, 1982, p. 200.
State record only (R15).

Odontocorynus Schönherr, 1844; O'Brien & Wibmer, 1982, p. 198;
Anderson, 2002, p. 747.
(16 Nearctic spp., 2 are recorded from Colorado).

pulverulentus (Casey), 1892; O'Brien & Wibmer, 1982, p. 198;
Anderson, 2002, p. 747.
State record only (R15, R16).

salebrosus (Casey), 1892; O'Brien & Wibmer, 1982, p. 199.
State record only (R15, R16, R41).

Onychobaris LeConte, 1876; O'Brien & Wibmer, 1982, p. 191; Anderson,
2002, p. 745.
(33 Nearctic spp., 7 are recorded from Colorado).

cernua Casey, 1920; O'Brien & Wibmer, 1982, p. 192.
County record: Boulder (R39,USNM).

corrosa Casey, 1892; O'Brien & Wibmer, 1982, p. 192.
State record only (R15, R41).

ilex Casey, 1892; O'Brien & Wibmer, 1982, p. 192.
County record: Alamosa (R39,USNM).

implicate Casey, 1920; O'Brien & Wibmer, 1982, p. 192.
State record only (R15).

millepora Casey, 1892; O'Brien & Wibmer, 1982, p. 192.
State record only (R15, R51, GM).

perversa Casey, 1920; O'Brien & Wibmer, 1982, p. 192.
State record only (R15).

subtonsa LeConte, 1876; O'Brien & Wibmer, 1982, p. 192.
County record: Otero (R41).

Orthoris LeConte, 1876; O'Brien & Wibmer, 1982, p. 189; Anderson, 2002,
p. 745.
(7 Nearctic spp., 2 are recorded from Colorado).

crotchii LeConte, 1876; O'Brien & Wibmer, 1982, p. 189.
County records: El Paso, La Plata, Larimer (R41).

tenuirostrisi LeConte, 1876; O'Brien & Wibmer, 1982, p. 189.
County record: Pueblo (R39,USNM).

Pachygeraeus Casey, 1920; O'Brien & Wibmer, 1982, p. 189;

Anderson, 2002, p, 747.
(3 Nearctic spp., 2 are recorded from Colorado).

laevirostris (LeConte), 1876; O'Brien & Wibmer, 1982, p.
198.
State record only (R15).

punctirostris (LeConte), 1876; O'Brien & Wibmer, 1982, p.
189.
State record only (R15, R41).

Pseudobaris LeConte, 1876; O'Brien & Wibmer, 1982, p. 187; Anderson,
2002, p. 745.
(31 Nearctic spp., 3 are recorded from Colorado).

angusta (LeConte), 1868; O'Brien & Wibmer, 1982, p. 187.
County record: Alamosa (R41). (New state record).

farcta (LeConte), 1868; O'Brien & Wibmer, 1982, p. 187.
State record only (R15, R41).

oscitans Casey, 1920; O'Brien & Wibmer, 1982, p. 188.
State record only (R15).

satyrica Casey, 1920; O'Brien & Wibmer, 1982, p.
188.
County record: Weld (R39, USNM).

Pycnobaris Casey, 1892; O'Brien & Wibmer, 1982, p. 187; Anderson, 2002,
p. 745.
(4 Nearctic spp., 1 is recorded from Colorado).

canonica Casey, 1920; O'Brien & Wibmer, 1982, p. 186.
State record only (R15).

pruinosa (LeConte), 1876; O'Brien & Wibmer, 1982, p. 186.
State record only (R41).

Rhoptobaris LeConte, 1876; O'Brien & Wibmer, 1982, p. 189; Anderson,
2002, p. 745.
(1 Nearctic sp., only in Colorado).

canescens LeConte, 1876; O'Brien & Wibmer, 1982, p. 189.

County record: Otero (R41).

Sibariops Casey, 1920; O'Brien & Wibmer, 1982, p. 203; Anderson, 2002, p. 746.

(41 Nearctic spp., 2 are recorded from Colorado).

confusa (Boheman), 1836; O'Brien & Wibmer, 1982, p. 204.

State record only (R15, R41).

curtulirostris Casey, 1920; O'Brien & Wibmer, 1982, p. 204.

State record only (R15).

Trichobaris LeConte, 1876; O'Brien & Wibmer, 1982, p. 188; Anderson, 2002, p. 745.

(12 Nearctic spp., 3 are recorded from Colorado).

pellicea (Boheman), 1844; O'Brien & Wibmer, 1982, p. 188.

State record only (R15).

texana LeConte, 1876; O'Brien & Wibmer, 1982, p. 203.

County records: Jefferson, Larimer (R41).

trinotata (Say), 1831; O'Brien & Wibmer, 1982, p. 189.

County record: Huerfano (R41).

SUBFAMILY CEUTORHYNCHINAE

Acanthoscelidius Dalla Torre & Hustache, 1930; O'Brien & Wibmer, 1982, p. 170; Anderson, 2002, p. 750, 753.

(13 Nearctic spp., 4 are recorded from Colorado).

acephalus Say, 1824; O'Brien & Wibmer, 1982, p. 170.

County record: Larimer (R41).

Comment: A variety, *A. tenebrosus* (Dietz), also occurs in Colorado Springs (R41).

curtus (Say), 1831; O'Brien & Wibmer, 1982, p. 170.

County record: Costilla/Huerfano, Custer (R41). (New state record).

griseus (Dietz), 1896; O'Brien & Wibmer, 1982, p. 170.

State record only (R15).

perplexus (Dietz), 1896; O'Brien & Wibmer, 1982,
p. 170.
State record only (R15).

Allosiocalus Colonnelli 1983; Anderson, 2002, 752.
(5 Nearctic spp., 2 are recorded from Colorado).

angulatus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 172;
Anderson, 2002, p.752.
State record only (R15).

disturbatus (Dietz) 1896; O'Brien & Wibmer, 1982, p. 172;
Anderson, 2002, p.752.
State record only (R15).

Auleutes Dietz, 1896; O'Brien & Wibmer, 1982, p. 170; Anderson 2002, p.
750, 753.
(24 Nearctic spp., 1 is recorded from Colorado).

asper (LeConte), 1876; O'Brien & Wibmer, 1982, p. 170.
State record only (R15, R41).

Ceutorhynchus Germar, 1824; O'Brien & Wibmer, 1982, p. 172; Anderson
2002, p. 752.
(68 Nearctic spp., 14 are recorded from Colorado).

americanus Buchanan, 1937; O'Brien & Wibmer, 1982, p.
172.
County records: Larimer, Jefferson, Weld (GM).

isolatus Dietz, 1896; O'Brien & Wibmer, 1982, p. 172.
State record only (R15).

lecontei Colonnelli, 1979; O'Brien & Wibmer, 1982, p. 172.
County records: Lake (R41); Boulder (GM).

mutabilis Dietz, 1896; O'Brien & Wibmer, 1982, p. 172.
State record only (R15).

neglectus Blatchely, 1916; O'Brien & Wibmer, 1982, p.
173.
State record only (R15).

- pauxillus* Dietz, 1896; O'Brien & Wibmer, 1982, p. 173.
State record only (R15).
- persimilis* Dietz, 1896; O'Brien & Wibmer, 1982, p. 173.
State record only (R15).
- puberulus* LeConte, 1876; O'Brien & Wibmer, 1982, p. 172.
County record: Otero (R41).
- punctiger* (Gyllenhal), 1837; O'Brien & Wibmer, 1982,
p. 173.
County record: Boulder, Delta, Jefferson (R39). (New
state record).
- pusillus* LeConte, 1876, p. 276; O'Brien & Wibmer, 1982,
p. 172.
County records: Alamosa, Costilla, Dolores, Jackson
(R41).
- pusio* Mannerheim, 1852; O'Brien & Wibmer, 1982, p. 172.
County records: Chaffee, Dolores, Jackson, Lake,
Larimer (R41).
- rapae* Gyllenhal, 1837; O'Brien & Wibmer, 1982, p. 173.
County records: Boulder, Costilla, Larimer (GM); Montrose
(R41).
- septentrionalis* Gyllenhal, 1837; O'Brien & Wibmer, 1982, p. 172.
County record: Larimer (R41).
- sericans* (LeConte), 1876; O'Brien & Wibmer, 1982, p. 173.
County records: Alamosa, Costilla, Huerfano (R41).
- zimmermanni* Gyllenhal, 1837; O'Brien & Wibmer, 1982, p. 174.
County records: Jackson (R41); Weld (R14).
- Cnemogonus*** LeConte, 1876; O'Brien & Wibmer, 1982, p. 169;
Anderson, 2002, p. 753.
(1 Nearctic sp., recorded from Colorado).
- lecontei* Dietz, 1896; O'Brien & Wibmer, 1982, p. 169.
County record: La Plata (R41). (New state record).

Dietzella Champion, 1907; O'Brien & Wibmer, 1982, p. 171; Anderson 2002, p. 753.
(2 Nearctic spp., 1 is recorded from Colorado).

sextuberculata (Boheman), 1845; O'Brien & Wibmer, 1982, p. 171.
State record only (R15).

Eubrychiopsis Dietz, 1896; O'Brien & Wibmer, 1982, p. 175; Anderson 2002, p. 753.
(1 sp. recorded from Colorado).

lecontei (Beck), 1817; O'Brien & Wibmer, 1982, p. 175.
State record only (R15).

Glocianus Reitter, 1916; Anderson, 2002, p. 752.
(1 sp., introduced into Colorado).

punctiger (Sahlberg), 1835.
County records: Jefferson, Larimer, Park, San Miguel (GM).

Hadroplantus Thomson 1859; O'Brien & Wibmer, 1982, p. 173; Anderson, 2002, p. 752.
(1 sp., introduced into Colorado).

litura (Fabricius), 1775; O'Brien & Wibmer, 1982, p. 173.
County record: Weld (GM).

Homorosoma Frivaldszky, 1893; O'Brien & Wibmer, 1982, p. 174; Anderson, 2002, p. 754.
(1 sp., recorded from Colorado).

sulcipenne (LeConte), 1876; O'Brien & Wibmer, 1982, p. 174.
State record only (R15).

Nedyus Schönherr, 1826; O'Brien & Wibmer, 1982, p. 174; Anderson, 2002, p. 752.
(2 Nearctic spp., 1 is recorded from Colorado).

flavicaudis (Boheman), 1844; O'Brien & Wibmer, 1982, p. 174.
County records: Garfield, Larimer (GM).

Pelonomus Thomson, 1859; O'Brien & Wibmer, 1982, p. 176; Anderson, 2002, p.754.
(13 Nearctic spp., 2 are recorded from Colorado).

fuliginosus (Dietz), 1896; O'Brien & Wibmer, 1982, p. 176.
State record only (R15).

gracilipes Dietz, 1896; O'Brien & Wibmer, 1982, p. 176.
County record: Costilla (R41).

Rhinoncus Schönherr, 1825; O'Brien & Wibmer, 1982, p. 176; Anderson, 2002, p. 754.
(7 Nearctic spp., 1 is recorded from Colorado).

pyrrhopus Boheman, 1845, p. 172; O'Brien & Wibmer, 1982, p. 175.
County record: Boulder (R39)

Rutidosoma Stephens, 1831, p. 45; O'Brien & Wibmer, 1982, p. 174; Anderson, 2002, p. 754.
(1 sp., recorded from Colorado).

decipiens (LeConte): O'Brien & Wibmer, 1982, p. 174.
County records: Costilla, El Paso, Huerfano, Larimer (R41).

Sirocalodes Voss, 1958; O'Brien & Wibmer, 1982, p. 174; Anderson, 2002, p. 753.
(1 sp., recorded from Colorado).

tescorum (Fall), 1907; O'Brien & Wibmer, 1982, p. 173.
State record only (R15).

Trichosirocalus Colonnelli, 1971; O'Brien & Wibmer, 1982, p. 174; Anderson, 2002, p. 753.
(1 sp., introduced into Colorado).

horridus (Panzer), 1801; O'Brien & Wibmer, 1982, p. 174.
County records: Jefferson (R39); established in Mesa and Montezuma (GM).

SUBFAMILY CONODERINAE

Cylindrocopturus Heller, 1895; O'Brien & Wibmer, 1982, p.162; Anderson, 2002, p. 756.

(29 Nearctic spp., 5 are recorded from Colorado).

adsperus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 162.

County records: Kit Carson (R39); Douglas, El Paso,
Huerfano, Larimer, Otero (R41).

deleoni Buchanan, 1940; O'Brien & Wibmer, 1982, p. 162.

State record only (R15).

longulus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 162.

County records: Boulder, Costilla, Douglas, Jefferson,
Pueblo (R39).

medicatus Carr, 1929; O'Brien & Wibmer, 1982, p. 162.

County record: Weld (GM).

nanulus LeConte, 1876; O'Brien & Wibmer, 1982, p. 163.

County record: Costilla (R41). (New state record).

operculatus (Say), 1824; O'Brien & Wibmer, 1982, p. 163.

State record only (R15, R41).

Lechriops Schönherr, 1826; O'Brien & Wibmer, 1982, p. 165; Anderson, 2002, p. 756.

(6 Nearctic spp., 2 are recorded from Colorado).

californicus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 166.

County records: Boulder, Douglas, Larimer (R12).

chiricahuae Hespenheide, 2003.

County records: Archuleta (R12).

Tachygonus Guerin-Meneville, 1833; O'Brien & Wibmer, 1982, p. 168; Anderson, 2002, p. 756.

(5 Nearctic spp., 1 is recorded from Colorado).

centralis LeConte, 1868; O'Brien & Wibmer, 1982, p. 168.

County records: Las Animas (GM); Rio Grande (R41).

SUBFAMILY COSSONINAE

Carphonotus Casey, 1892; O'Brien & Wibmer, 1982, p. 222; Anderson, 2002, p. 760.

(1 sp., recorded from Colorado).

testaceus Casey, 1892; O'Brien & Wibmer, 1982, p. 222.

State record only (R15).

Cossonus Clairville & Schellenberg, 1798; O'Brien & Wibmer, 1982, p. 222; Anderson, 2002, p. 759.

(20 Nearctic spp., 5 are recorded from Colorado).

americanus Buchanan, 1936; O'Brien, 1997, p. 3.

State record only (R43).

crenatus Horn, 1873; O'Brien & Wibmer, 1982, p. 222.

County records: Adams, Custer, Denver, Douglas, El Paso, Jefferson, La Plata, Larimer, Las Animas, Mesa, Montezuma, Weld (GM). (New state record).

impressifrons Boheman, 1838; O'Brien & Wibmer, 1982, p. 223.

County records: Adams, Denver, Garfield, Las Animas, Prowers, Weld (R39). (New state record).

pacificus Van Dyke, 1916; O'Brien & Wibmer, 1982, p. 223.

County records: Adams, Arapahoe, Boulder, Denver, Douglas, Gilpin, Kiowa, Larimer, Mesa, Montrose, Prowers, Pueblo, Weld (GM).

rufipennis Buchanan, 1936; O'Brien & Wibmer, 1982, p. 224.

County records: Arapahoe, Denver, Weld, Adams, Larimer, Mesa, El Paso, Douglas, Grand (GM). (New state record).

Rhyncolus Germar, 1817; O'Brien & Wibmer, 1982, p. 229; Anderson, 2002, p. 760.

(15 Nearctic spp., 4 are recorded from Colorado).

brunneus Mannerheim, 1843; O'Brien & Wibmer, 1982, p. 229.

County record: Boulder (GM). (New state record).

macrops Buchanan, 1946; O'Brien & Wibmer, 1982, p. 229.
County records: Boulder, Durango, Longmont (R29).

nimius Casey, 1892; O'Brien & Wibmer, 1982, p. 229.
County records: El Paso, Montrose/Ouray (R29).

oregonensis Horn, 1873; O'Brien & Wibmer, 1982, p. 229.
State record only (R15, R43).

Stenoscelis Wollaston, 1861; O'Brien & Wibmer, 1982, p. 229; Anderson, 2002, p. 760.
(2 Nearctic spp., 1 is recorded from Colorado).

brevis Wollaston, 1861; O'Brien & Wibmer, 1982, p. 229.
County record: Larimer (R41). (New state record).

SUBFAMILY CRYPTORHYCHINAE

Acalles Schöenherr, 1825; O'Brien & Wibmer, 1982, p. 138; Anderson, 2002, p. 764.
(12 Nearctic spp., 3 are recorded from Colorado).

basalis (LeConte), 1876; Brien, 1970, p. 270; O'Brien & Wibmer, 1982, p. 136.
County records: Denver, El Paso, Fremont, Kit Carson, Otero, Weld (R38).

porosa (LeConte), 1876; O'Brien, 1970, p. 261; O'Brien & Wibmer, 1982, p. 137.
County records: Boulder, Larimer (R38); El Paso, Weld (GM).

turbida (LeConte), 1876; O'Brien, 1970, p. 261; O'Brien & Wibmer, 1982, p. 137.
County record: Custer (R41).

Cryptorhynchus Illiger, 1807; O'Brien & Wibmer, 1982, p. 144; Anderson, 2002, p. 764.
(4 Nearctic spp., 1 is recorded from Colorado).

lapathi (Linnaeus), 1758; O'Brien & Wibmer, 1982, p. 146.
County records: Boulder, Delta, El Paso, Garfield,

Jefferson, Larimer, Moffat, Rio Blanco (GM).
(New state record).

Eurhoptus LeConte, 1876; O'Brien & Wibmer, 1982, p. 136; Anderson, 2002, p. 765.
(2 Nearctic spp., 1 is recorded from Colorado).

pyriformis LeConte, 1876; O'Brien & Wibmer, 1982, p. 136;
Anderson, 2002, p. 765.
State record only (R15).

Gerstaeckeria Champion, 1905; O'Brien & Wibmer, 1982, p. 136; Anderson, 2002, p. 765.
(18 Nearctic spp., 2 are recorded from Colorado).

lecontei O'Brien, 1970; O'Brien & Wibmer, 1982, p. 137.
County record: Denver, El Paso (R38); Weld (GM).

turbida (LeConte), 1876; O'Brien, 1970, p. 270; O'Brien & Wibmer, 1982, p. 137.
State record only (R15).

Tyloderma Say, 1831; O'Brien & Wibmer, 1982, p. 141; Anderson, 2002, p. 764.
(30 Nearctic spp., 5 are recorded from Colorado).

aereum (Say), 1831; O'Brien & Wibmer, 1982, p. 172.
County records: Dolores, La Plata (R41). (New state record).

baridium LeConte, 1876; O'Brien & Wibmer, 1982, p. 172.
County record: Dolores (R41); Boulder (R39,UC)).

foveolatum (Say), 1831; O'Brien & Wibmer, 1982, p. 172.
State record only (R41). (New state record).

oenotherae Wibmer, 1981; O'Brien & Wibmer, 1982, p. 142.
County records: Archuleta (R39,UC)); Boulder, Denver (R5).

pseudofoveolatum Wibmer, 1981; O'Brien & Wibmer, 1982, p. 142.
County records: Denver, El Paso, Weld (R5, GM).

Zascelis LeConte, 1876; O'Brien & Wibmer, 1982, p. 143; Anderson, 2002, p. 764.

(1 sp., recorded from Colorado).

irrorata LeConte, 1876; O'Brien & Wibmer, 1982, p. 143;
Anderson, 2002, p. 764.

County records: Montezuma, Mesa (GM).

SUBFAMILY CURCULIONINAE

This subfamily in Anderson (2002) contains a number of unrelated taxa. Traditionally, the subfamily has contained only one genus, *Curculio*, and is so treated herein.

Curculio Linnaeus, 1758; O'Brien and Wibmer, 1982, p. 102; Anderson, 2002, p. 736.

(27 Nearctic spp., 10 are recorded from Colorado).

iowensis (Casey), 1910; O'Brien & Wibmer, 1982, p. 104.

County records: Fremont, Las Animas (R39); Douglas,
El Paso, Mesa, Montrose (GM).

monticola (Casey), 1897; O'Brien & Wibmer, 1982, p. 104.

County record: El Paso (R41, GM).

nasicus (Say), 1831; O'Brien & Wibmer, 1982, p. 103.

County record: Douglas (R41). (New state record).

obtus (Blanchard), 1884; O'Brien & Wibmer, 1982, p.
104.

State record only (R15).

proboscideus (Fabricius), 1775; O'Brien & Wibmer, 1982,
p. 103.

State record only (R41).

quercusgrisiae (Chittenden), 1908; O'Brien & Wibmer,
1982, p. 103.

County record: Montezuma (R39). (New state record).

strictus (Casey), 1897; O'Brien & Wibmer, 1982, p. 104.

County records: Huerfano, Teller (R41); Boulder,
Jefferson, Ouray, Larimer, Denver, El Paso
(GM).

sulcatulus (Casey), 1897; O'Brien & Wibmer, 1982, p. 104.
County record: El Paso (GM).

timidus (Casey), 1910; O'Brien & Wibmer, 1982, p. 104.
State record only (R15).

uniformis (LeConte), 1857; O'Brien & Wibmer, 1982, p.
104.
County records: Huerfano, La Plata (R41). (New state
record).

SUBFAMILY CYCLOMINAE

Listronotus Jekel, 1865; O'Brien & Wibmer, 1982, p. 68; Anderson, 2002,
p.766.
(81 Nearctic spp., 18 recorded from Colorado).

appendiculatus (Boheman), 1842; O'Brien & Wibmer, 1982, p. 68;
O'Brien, 1997, p. 15.
State record only (R15, R43).

caudatus (Say), 1824; O'Brien & Wibmer, 1982, p. 68; O'Brien,
1997, p. 16.
State record only (R15).

delumbis (Gyllenhall), 1834; O'Brien & Wibmer, 1982, p.
68.
County records: Alamosa (R41, R42); El Paso, Larimer
(R41).

dorsalis (Dietz), 1889; O'Brien & Wibmer, 1982, p. 69.
State record only (R15).

echinatus (Dietz), 1889; O'Brien & Wibmer, 1982, p. 69.
State record only (R15, R43).

filiformis (LeConte), 1876; O'Brien & Wibmer, 1982, p.
71.

County record: Alamosa (R41).

frontalis LeConte, 1876; O'Brien & Wibmer, 1982, p. 69;
 O'Brien, 1997, p. 17.
 State record only (R15, R43).

grypidioides (Dietz), 1889; O'Brien & Wibmer, 1982, p.
 69; O'Brien, 1997, p. 17.
 County record: Weld (GM).

maculicollis (Kirby), 1837; O'Brien & Wibmer, 1982, p. 69;
 O'Brien, 1997, p. 19.
 County record: Crowley, Saguache (R41).

montanus (Dietz), 1889; O'Brien & Wibmer, 1982, p. 69.
 County record: Weld (R41).

obscorellus (Dietz), 1889; O'Brien & Wibmer, 1982, p. 69; O'Brien,
 1997, p. 19.
 County record: Weld (GM).

oregonensis oregonensis (LeConte), 1857; O'Brien & Wibmer, 1982,
 p. 70.
 County records: Alamosa (?); Denver (R41).

oregonus tessellatus Casey, 1895; O'Brien & Wibmer, 1982,
 p. 70; O'Brien, 1997, p. 20.
 County record: Jefferson (R39,UC).

punctiger LeConte, 1876; O'Brien & Wibmer, 1982, p. 70.
 County record: Arapahoe (R39,UC). (New state record).

sordidus(Gyllenhall), 1834; O'Brien & Wibmer, 1982, p. 70;
 O'Brien, 1997, p. 21.
 State record only (R15).

sparsus(Say), 1831: O'Brien & Wibmer, 1982, p. 70; O'Brien, 1997,
 p. 21.
 County record: Lake (?) (R41). (New state record).

squamiger (Say), 1832; O'Brien & Wibmer, 1982, p. 71; O'Brien,
 1997, p. 22.
 State record only (R15).

vitticollis (Kirby), 1837; O'Brien & Wibmer, 1982, p. 71; O'Brien, 1997, p. 22.

County record: Alamosa, Costilla/Huerfano (R41, R42); Weld (R14, R43).

SUBFAMILY DRYOPHTHORINAE

Cactophagus LeConte, 1876; O'Brien & Wibmer, 1982, p. 216; Anderson, 2002, p. 729.
(1 Nearctic sp. recorded from Colorado).

spinolae validus (LeConte), 1858; O'Brien & Wibmer, 1982, p. 219.
County record: Custer (R41).

Rhodobaenus LeConte, 1876; O'Brien & Wibmer, 1982, p. 214; Anderson, 2002, p. 730.
(2 Nearctic spp., 1 recorded from Colorado).

tredecimpunctatus (Illiger), 1794; O'Brien & Wibmer, 1982, p. 216.
County records: Otero, Prowers (R41); Baca, Kiowa, Yuma (GM).

Scyphophorus Schöenherr, 1838; O'Brien & Wibmer, 1982, p. 219; Anderson, 2002, p. 730.
(2 Nearctic spp., 1 is recorded from Colorado).

acupunctatus Gyllenhal, 1838; O'Brien & Wibmer, 1982, p. 219.
County records: Bent, Boulder, Douglas, Fremont, Jefferson, Lincoln, Las Animas, Larimer, Mesa, Otero (GM); Weld (R39, UC).

Sitophilus Schöenherr, 1838; O'Brien & Wibmer, 1982, p. 220; Anderson 2002, p. 729.
(5 Nearctic spp., 3 are recorded from Colorado).

granarius (Linnaeus), 1758; O'Brien & Wibmer, 1982, p. 220.
County records: Cosmopolitan (R15).

oryzae (Linnaeus), 1763; O'Brien & Wibmer, 1982, p. 221.
County records: Cosmopolitan (R15).

zeamais Motschulsky, 1855; O'Brien & Wibmer, 1982, p. 221.
County records: Cosmopolitan (R15).

Sphenophorus Schönherr, 1838; O'Brien & Wibmer, 1982, p. 210; Anderson, 2002, p. 730.
(65 Nearctic spp., 18 are recorded from Colorado).

aequalis aequalis Gyllenhal, 1838; O'Brien & Wibmer, 1982, p. 210.
County records: Bent, Boulder, Kiowa, Las Animas, Larimer, Logan, Prowers (GM); Gilpin (R39,UC)).

aequalis ochreus LeConte, 1858; O'Brien & Wibmer, 1982, p. 211.
County record: Otero (R41).

arizonensia Horn, 1873; O'Brien & Wibmer, 1982, p. 212.
State record only (R15, R44).

australis australis Chittenden, 1905; O'Brien & Wibmer, 1982, p. 211.
County record: Boulder (R39,UC)).

cicatristriatus Fahraeus, 1838; O'Brien & Wibmer, 1982, p. 211; Vaurie, 1951, p. 4.
County records: Alamosa, Costilla, El Paso, La Plata (R41); Moffat (R39); Boulder, Denver, Larimer, Weld (R14,GM); Jefferson (R39,UC)).

coesifrons Gyllenhal, 1838; O'Brien & Wibmer, 1982, p. 211.
County record: Kiowa (GM).

compressirostris (Say), 1824; O'Brien & Wibmer, 1982, p. 211.
County record: Weld (R14,GM). (New state record).

costipennis Horn, 1873; O'Brien & Wibmer, 1982, p. 212.
County record: Larimer (GM).

crenatus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 212.
State record only (R15, R41, R44).

graminis Chittenden, 1905; O'Brien & Wibmer, 1982, p. 212.

County record: Crowley (R39,UC)). (New state record),
mormon Chittenden, 1904; O'Brien & Wibmer, 1982, p. 212.
 State record only (R15, R44).
neomexicanus Chittenden, 1904; O'Brien & Wibmer, 1982, p. 212.
 State record only (R15, R44).
parvulus Gyllenhal, 1838; O'Brien & Wibmer, 1982, p. 213.
 State record only (R15, R44).
robustus Horn, 1873; O'Brien & Wibmer, 1982, p. 213.
 State record only (R15).
serratipes Chittenden, 1924; O'Brien & Wibmer, 1982, p. 213.
 County record: Larimer (R14).
soltauui Chittenden, 1905; O'Brien & Wibmer, 1982, p. 213.
 County record: Weld (R43).
vomerinus LeConte, 1858; O'Brien & Wibmer, 1982, p. 214.
 County record: Otero (R41, R44).
zeae Walsh, 1867; O'Brien & Wibmer, 1982, p. 214.
 State record only (R15, R44).

SUBFAMILY ENTIMINAE

Acmaegenius Germar, 1831; O'Brien & Wibmer, 1982, p. 60;
 Anderson, 2002, p. 775.
 (2 Nearctic spp., 1 is recorded from Colorado).
hylobinus LeConte, 1876; O'Brien & Wibmer, 1982, p. 60.
 County record: Costilla/Huerfano (R41). (New state record).
Anametis Horn, 1876; O'Brien & Wibmer, 1982, p. 63; Anderson, 2002, p.
 781.
 (2 Nearctic spp., both are recorded from Colorado).
granulata (Say), 1831; O'Brien & Wibmer, 1982, p. 63.
 State record only (R41). (New state record).

- subfusca* Horn, 1907; O'Brien and Wibmer 1982, p. 63.
County records: Montrose (R39); Larimer, Weld (GM).
- Aragnomus*** Horn, 1876; O'Brien and Wibmer 1982, p. 51; Anderson, 2002, p. 778.
(3 Nearctic spp., 1 is recorded from Colorado).
- griseus* Horn, 1876, p. 72; O'Brien and Wibmer 1982, p. 51.
County records: Garfield, Rio Blanco (R39); Costilla (R41, R42); Garfield (GM).
- Barypeithes*** Jacquelin du Val & Fairmaire, 1855; O'Brien and Wibmer 1982, p. 44; Anderson, 2002, p. 779.
(1 sp., recorded from Colorado).
- pellucidus* (Boheman), 1834, p. 507; O'Brien and Wibmer 1982, p. 44.
County records: Larimer, Routt, Boulder, Jackson (GM).
- Calypstillus*** Horn, 1876; O'Brien and Wibmer 1982, p. 36; Anderson, 2002, p. 777.
(1 sp., recorded from Colorado).
- cryptops* Horn, 1876, p. 27; O'Brien and Wibmer 1982, p. 36.
County records: Baca, Pueblo, Saguache, Yuma, Weld (GM).
- Cercopedius*** Sleeper 1955; O'Brien and Wibmer 1982, p. 53; Anderson, 2002, p. 781.
(1 sp., recorded from Colorado).
- artemisiae* Pierce, 1910, p. 365; Sleeper 1955, p. 291; O'Brien and Wibmer 1982, p. 53.
County record: Yuma (GM).
- Chaetechidius*** Sleeper, 1955; O'Brien and Wibmer 1982, p. 52; Anderson, 2002, p. 781.
(1 sp., described from Colorado).
- speciosus* Sleeper, 1955, p. 282; O'Brien and Wibmer, 1982, p. 52.
County records: El Paso, Larimer (GM).

Cimbocera Horn, 1876; O'Brien and Wibmer 1982, p. 60; Anderson, 2002, p. 781.

(5 Nearctic spp., 3 are recorded from Colorado).

buchanani Ting, 1940, p. 134; O'Brien and Wibmer, 1982, p. 60.
County record: Mesa (R39).

conspersa Fall, 1907, p. 261; O'Brien and Wibmer, 1982, p. 60.

County records: Rio Blanco (R39); Montezuma (GM).

pauper Horn, 1876, p. 56; O'Brien and Wibmer 1982, p. 60.

County records: Montezuma, Mesa, Montrose (GM).

Compsus Schöenherr, 1823; O'Brien and Wibmer, 1982, p. 54; Anderson, 2002, p. 777.

(1 sp., recorded from Colorado).

auricephalus (Say), 1824, p. 310; O'Brien and Wibmer, 1982, p. 54.

County record: Dolores (R39).

Diamimus Horn, 1876; O'Brien and Wibmer, 1982, p. 63; Anderson, 2002, p. 781.

(1 sp., recorded from Colorado).

subsericeus Horn, 1876, p. 46; O'Brien and Wibmer, 1982, p. 63.

County records: Conejos (R39,UC); Chaffee, Costilla,
Denver (R41); Larimer, Mesa, Park, Weld,
Montrose, Huerfano (GM).

Dichoxenus Horn, 1876; O'Brien and Wibmer, 1982, p. 63; Anderson, 2002, p. 782.

(5 Nearctic spp. and subspecies, 1 recorded from Colorado).

occidentalis Sleeper, 1956, p. 166; O'Brien and Wibmer, 1982, p. 63.

County records: Larimer, Weld (GM).

Dyslobus LeConte, 1869; O'Brien and Wibmer, 1982, p. 61; Anderson, 2002, p. 782.
(34 Nearctic spp., 1 is recorded from Colorado).

lutea (Horn), 1876, p. 48; O'Brien and Wibmer, 1982, p. 62.
County record: Dolores (R41).

Epicaerus Schönherr, 1834; O'Brien and Wibmer, 1982, p. 39; Anderson, 2002, p. 777.
(11 Nearctic spp., 3 are recorded from Colorado).

imbricatus Say, 1824, p. 317; O'Brien and Wibmer, 1982, p. 63.
County records: Archuleta, Denver, El Plata, Montezuma (R41).

sulcatus Casey, 1888, p. 235; O'Brien and Wibmer, 1982, p. 41.
County records: Mesa, Montezuma (R39).

wickhami Pierce, 1913, p. 414; O'Brien and Wibmer, 1982, p. 41.
State record only (R15).

Ericydeus Pascoe, 1880; O'Brien and Wibmer, 1982, p. 31; Anderson, 2002, p. 777.
(2 299., 1 is recorded from Colorado).

lautus (LeConte), 1856; Anderson, 2002, p. 777.
State record only (R11).

Graphorhinus Say, 1831; O'Brien and Wibmer, 1982, p. 39; Anderson, 2002, p. 777.
(1 sp., recorded from Colorado).

vadosus Say, 1831; O'Brien and Wibmer, 1982, p. 39.
County record: Weld (R14); Denver, Larimer (R41);
Boulder (R39,UC).

Lepidophorus Kirby, 1837; O'Brien and Wibmer, 1982, p. 60; Anderson, 2002, p. 775.
(10 Nearctic spp., 2 recorded from Colorado).

plumosus Buchanan, 1936; O'Brien and Wibmer, 1982, p. 60.

County records: Costilla, Huerfano (R39).

sordidus (Horn), 1876; O'Brien and Wibmer, 1982, p. 60.
State record only (R15).

Melanolemma Van Dyke, 1935; O'Brien and Wibmer, 1982, p. 64;
Anderson, 2002, p. 782.
(1 sp., described from Colorado).

montana Van Dyke, 1935; O'Brien and Wibmer, 1982, p. 64.
State record only (15).

Mesagroicus Schöenherr, 1840; O'Brien and Wibmer, 1982, p. 31;
Anderson, 2002, p. 778.
(9 Nearctic spp., 1 recorded from Colorado).

minor Buchanan 1929; O'Brien and Wibmer, 1982, p. 31.
County record: Douglas (R32).

Miloderoides Van Dyke 1936; O'Brien and Wibmer, 1982, p. 49; Anderson,
2002, p. 780.
(3 Nearctic spp., 1 recorded from Colorado).

cinereus (Van Dyke), 1935; O'Brien and Wibmer, 1982, p. 49.
County record: Mesa (R14).

Minyomerus Horn, 1876; O'Brien and Wibmer, 1982, p. 46; Anderson, 2002,
p. 780.
(6 Nearctic spp., 2 are recorded from Colorado).

innocuus Horn, 1876, p. 18; O'Brien and Wibmer, 1982, p. 46.
County record: Teller (R41).

microps (Say), 1831, p. 9; O'Brien and Wibmer, 1982, p. 46.
County record: Weld (R30).

Omiias Germar, 1817; O'Brien and Wibmer, 1982, p. 50; Anderson, 2002, p.
778.
(7 Nearctic spp., 1 recorded from Colorado).

inornata (Horn), 1876; O'Brien and Wibmer, 1982, p. 51.
County records: Archuleta, Costilla, Dolores, Ouray (R41);
Chaffee, Custer, Garfield, Gunnison,

Hinsdale, Huerfano, La Plata, Las Animas, Mesa,
Montrose, Montezuma, Pueblo, Rio Grande, San
Miguel (GM).

Comments: This species has been placed in the genus
Thricolepus Horn by all previous authors. Examination of
specimens showed that the generic placement is incorrect.

Ophryastes Germar, 1831; O'Brien and Wibmer, 1982, p. 64; Anderson,
2002, p. 778.

(35 Nearctic spp., 9 are recorded from Colorado).

decipiens LeConte, 1853; O'Brien and Wibmer, 1982, p. 65.
State record only (R41, R15). (New state record).

huachucae (Van Dyke), 1853; O'Brien and Wibmer, 1982, p.
65.
County record: Alamosa (R39). (New state record).

latirostis LeConte, 1853; O'Brien and Wibmer, 1982, p. 65.
State record only (R41, R15).

pilosus (Davis), 1947; O'Brien and Wibmer, 1982, p. 65.
County record: Fremont (R21).

shufeldti Casey, 1888; O'Brien and Wibmer, 1982, p. 65.
County records: Mesa, Rio Grande (R21); Eagle (R39,UC);
Larimer, Las Animas, Lincoln (GM).

sordidus LeConte, 1853; O'Brien and Wibmer, 1982, p. 65.
County records: Logan (R21); Conejos (R39,UC); Baca,
Bent, Mesa, Otero (GM).

sulcirostris (Say), 1824; O'Brien and Wibmer, 1982, p. 65.
County records: Arapahoe, Archuleta, Bent, Boulder, Chaffee,
El Paso, Fremont, Otero, Las Animas (R21); Mesa, Moffat
(R39,UC); Weld (R14,GM); Baca, Larimer, La Plata,
Pueblo, Washington (GM).

tuberosus LeConte, 1853; O'Brien and Wibmer, 1982, p. 66.
County records: Arapahoe, Fremont, Prowers, Lamar, Pueblo
(R21); Weld (R14); Baca, Kiowa, Otero, Weld (GM).

vittatus (Say), 1824; O'Brien and Wibmer, 1982, p. 65.

County records: Bent, El Paso, Garfield, Las Animas, Pueblo (R21); Weld (R14); Otero, Prowers (R39,UC); Fremont, Kiowa, Kit Carson, Logan, Larimer, Yuma (GM).

Orimodema Horn, 1876; O'Brien and Wibmer, 1982, p. 63; Anderson, 2002, p. 782.
(1 sp., recorded from Colorado).

protracta Horn, 1876; O'Brien and Wibmer, 1982, p. 63.
County records: Gunnison, Montrose, Costilla/Huerfano (R41); El Paso, Larimer, Jefferson, Weld (GM).

Otiorhynchus Germar, 1824; O'Brien and Wibmer, 1982, p. 49; Anderson, 2002, p. 778.
(14 Nearctic spp., 5 are recorded from Colorado).

meridionalis Gyllenhal 1834; O'Brien and Wibmer, 1982, p. 49.
County records: Boulder (R39); Larimer, Weld (GM). (New state record).

ovatus (Linnaeus), 1758; O'Brien and Wibmer, 1982, p. 50.
County record: Boulder, Clear Creek, Costilla, Delta, Douglas, Gilpin, Grand, Jefferson, Larimer, Montezuma, Moffat, Otero (R39,UC); San Miguel (GM).

raucus (Fabricius), 1776; O'Brien and Wibmer, 1982, p. 50.
County record: Larimer (GM). (New state record).

rugosostriatus Goeze), 1777; O'Brien and Wibmer, 1982, p. 50.
County records: Boulder, Gilpin, Jefferson, La Plata, Montrose (R39,UC).

sulcatus (Fabricius), 1775; O'Brien and Wibmer, 1982, p. 50.
County records: Boulder, Denver, Gilpin, Jefferson, Larimer (R39,UC & GM). (New state record).

Pachyrhinus Schöenherr, 1823; O'Brien and Wibmer, 1982, p. 43; Anderson, 2002, p. 779.
(8 Nearctic spp., 2 are recorded from Colorado).

crassicornis (Casey), 1888; O'Brien and Wibmer, 1982, p. 43.
County record: Boulder (R39).

elegans (Couper), 1865; O'Brien and Wibmer, 1982, p. 43.
County record: Boulder (R39,UC).

Pandeleiteinus Champion, 1911; O'Brien and Wibmer, 1982, p. 48;
Anderson, 2002, p. 780.
(3 Nearctic spp., 1 is recorded from Colorado).

submetallicus (Schaeffer), 1908; O'Brien and Wibmer, 1982, p. 48.
County records: Delta, Garfield, Las Animas,
Montezuma (R15).

Pandeleiteius Schöenherr, 1834; O'Brien and Wibmer, 1982, p. 48;
Anderson, 2002, p. 780.
(13 Nearctic spp., 2 are recorded from Colorado).

defectus Green, 1920; O'Brien and Wibmer, 1982, p. 48.
County record: Archuleta (GM); Douglas (R39,UC).

hilaris (Herbst), 1797; O'Brien and Wibmer, 1982, p. 48.
County records: Costilla/Huerfano, El Paso (R41, R42). (New
state record).

Panscopus Schöenherr 1842, p. 266; O'Brien and Wibmer, 1982, p. 62;
Anderson, 2002, p. 782.
(28 spp., 2 are recorded from Colorado).

aequalis (Horn), 1876; O'Brien and Wibmer, 1982, p. 62.
State record only (R15).

coloradoensis Van Dyke, 1936; O'Brien and Wibmer, 1982, p. 62.
County records: Archuleta, Mineral, Ouray, San Juan (GM).

Pantomorus Schöenherr 1840; O'Brien and Wibmer, 1982, p. 29; Anderson,
2002, p. 778.
(10 Nearctic spp., 5 are recorded from Colorado).

candidus (Horn), 1876; O'Brien and Wibmer, 1982, p. 30.
County record: Yuma (R39,UC).

elegans (Horn), 1876; O'Brien and Wibmer, 1982, p. 30.
State record only (R15).

obscurus (Horn), 1876; O'Brien and Wibmer, 1982, p. 30.

State record only (R15).

pallidus (Horn), 1876; O'Brien and Wibmer, 1982, p. 30.

State record only (R15).

planitiatus Buchanan, 1939; O'Brien and Wibmer, 1982, p. 30.

County record: Pueblo (R39,BYU).

Paracimbocera Van Dyke, 1938; O'Brien and Wibmer, 1982, p. 60;

Anderson, 2002, p. 782.

(3 spp., 1 is recorded from Colorado).

artemisiae Ting 1940; O'Brien and Wibmer, 1982, p. 60.

State record only (R15).

Peritaxia Horn, 1876; O'Brien and Wibmer, 1982, p. 63; Anderson, 2002, p. 782.

(7 Nearctic spp., 3 are recorded from Colorado).

hispida Horn 1876; O'Brien and Wibmer, 1982, p. 63.

County records: Costilla, Larimer (R41); Weld (R14).

rugicollis Horn 1876; O'Brien and Wibmer, 1982, p. 63.

County records: Costilla, Dolores,

Gunnison/Hinsdale, Gunnison, Huerfano, Jefferson,

Lake, Larimer, Saguache (R41); Montezuma (R39);

San Juan (GM).

uniformis Van Dyke 1936; O'Brien and Wibmer, 1982, p. 63.

State record only (R15).

Phyxelis Schöenherr, 1842; O'Brien and Wibmer, 1982, p. 59; Anderson, 2002, p. 782.

(7 Nearctic spp., 1 is recorded from Colorado).

rigidus (Say), 1831; O'Brien and Wibmer, 1982, p. 59.

County record: Boulder (R39,UC).

Polydrusus Germar 1817; O'Brien and Wibmer, 1982, p. 42; Anderson, 2002, p. 779.

(7 Nearctic spp., 1 is recorded from Colorado).

impressifrons Gyllenhal, 1834; O'Brien and Wibmer, 1982, p. 43.

County record: El Paso (GM). (New state record).

Rhypodillus Cockerall 1906; O'Brien and Wibmer, 1982, p. 51; Anderson, 2002, p. 779.

(2 Nearctic spp., 1 is recorded from Colorado).

brevicollis (Horn) 1876; O'Brien and Wibmer, 1982, p. 51.

County record: Costilla (R41).

Sciapilus Schöenherr, 1823; O'Brien and Wibmer, 1982, p. 44; Anderson, 2002, p. 780.

(1 sp., recorded from Colorado).

asperatus Bonsdorff 1785; O'Brien and Wibmer, 1982, p. 44.

County record: Larimer (GM).

Sitona Germar 1817; O'Brien and Wibmer, 1982, p. 44; Anderson, 2002, p. 780.

(11 Nearctic spp., 7 are recorded from Colorado).

californicus Fåhræus 1840; O'Brien and Wibmer, 1982, p. 45; Bright 1994, p. 293.

County record: Weld (R14).

cylindricollis Fåhræus 1840; O'Brien and Wibmer, 1982, p. 45; Bright 1994, p. 298.

County records: Archuleta, Fremont, Huerfano, Larimer, La Plata (R39); Weld (R14).

flavescens (Marsham), 1802; Bright 1994, p. 283.

State record only from map (R9).

hispidulus (Fabricius), 1776; O'Brien and Wibmer, 1982, p. 45; Bright 1994, p. 288.

County records: Boulder, Larimer, Mesa (R39).

lineellus (Bonsdorff), 1785; O'Brien and Wibmer, 1982, p. 45; Bright 1994, p. 288.

County records: Archuleta, La Plata, Rio Grande, (R39); Huerfano, San Miguel (R9); El Paso, Jackson, Larimer, Summit (R41).

scissifrons Say, 1831; O'Brien and Wibmer, 1982, p. 45.
County records: Boulder, Conejos, Delta (R39,UC)).

vittatus (LeConte) 1857; O'Brien and Wibmer, 1982, p. 45; Bright 1994, p. 300.
State record only from map (R9).

Strophosoma Billberg, 1820; O'Brien and Wibmer, 1982, p. 44; Anderson, 2002, p. 776.
(1 sp., recorded from Colorado).

melanogrammum (Forster) 1771; O'Brien and Wibmer, 1982, p. 44.
County record: Garfield (GM). (New state record).

Tanymecus Germar, 1817; O'Brien and Wibmer, 1982, p. 46; Anderson, 2002, p. 780.
(3 Nearctic spp., 1 is recorded from Colorado).

confusus (Say), 1831; O'Brien and Wibmer, 1982, p. 46.
County record: Boulder, Yuma (R39,UC).

Thinoxenus Horn, 1876 O'Brien and Wibmer, 1982, p. 51; Anderson, 2002, p. 779.
(1 sp., recorded from Colorado).

squalens Horn, 1876; O'Brien and Wibmer, 1982, p. 51.
County record: Montezuma (GM). (New state record).

Trachyphloeus Germar, 1817; O'Brien and Wibmer, 1982, p. 52; Anderson, 2002, p. 781.
(3 Nearctic spp., 2 are recorded from Colorado).

asperatus Boheman 1843; O'Brien and Wibmer, 1982, p. 52.
County records: Jefferson, Larimar (GM).

bifoveolatus (Beck) 1817; O'Brien and Wibmer, 1982, p. 52.
County record: Jefferson (?) (GM).

Trichalophus LeConte 1876; O'Brien and Wibmer, 1982, p. 61; Anderson, 2002, p. 775.
(9 Nearctic spp., 5 are recorded from Colorado).

alternatus (Say), 1831: O'Brien and Wibmer, 1982, p. 61.

County records: Baca, Chaffee, Jackson, Lake, Ouray,
Summit (R41); Boulder (GM).

didymus (LeConte), 1856; O'Brien and Wibmer, 1982, p. 61.
County record: Boulder (R39,UC)); Summit (R41).

planirostris LeConte, 1876; O'Brien and Wibmer, 1982, p. 61.
County records: Costilla/Huerfano, Saguache, San Juan (R41,
R42).

seminudus Van Dyke, 1938; O'Brien and Wibmer, 1982, p. 61.
State record only (R15).

simplex LeConte, 1876; O'Brien and Wibmer, 1982, p. 61.
County record: Boulder (R39).

SUBFAMILY ERIRHININAE

Dorytomus Germar, 1817; O'Brien, 1970; O'Brien & Wibmer, 1982, p. 87.
(21 Nearctic spp., 12 are recorded from Colorado).

brevicollis LeConte, 1876; O'Brien & Wibmer, 1982, p. 88.
County record: Weld (R1); Denver (R41).

brevisetosus Casey, 1892; O'Brien & Wibmer, 1982, p. 88.
County record: El Paso (R1).

hirtus LeConte, 1876; O'Brien & Wibmer, 1982, p. 88.
County records: Costilla (R4); Gunnison (R1); Arapahoe,
Denver (R39,UC).

hystricula Casey, 1892; O'Brien & Wibmer, 1982, p. 88.
County record: "Ianitos" ? (R1).

inaequalis Casey, 1892; O'Brien & Wibmer, 1982, p. 88.
County records: Boulder, Costilla, Larimer (R1).

laticollis, LeConte, 1876; O'Brien & Wibmer, 1982, p. 88.
County records: Denver, Larimer, Weld (R41).

luridus (Mannerheim), 1853; O'Brien & Wibmer, 1982, p. 88.
County records: Arapahoe (R39,UC); Costilla, Prowers

(R41). (New state record).

mannerheimi Geinger, 1871; O'Brien & Wibmer, 1982, p. 88.

County record: Custer (R1).

mucidos (Say), 1831: O'Brien & Wibmer, 1982, p. 88.

County records: Denver, El Paso, Larimer, Otero, Weld (R14);
Boulder (R39,UC).

parvicollis Casey, 1892; O'Brien & Wibmer, 1982, p. 88.

County records: Clear Creek, El Paso, Summit (R1).

squamosus LeConte, 1876; O'Brien & Wibmer, 1982, p. 88.

County records: Costilla, Jackson (R41). (New state
record).

vagenotatus Casey, 1892; O'Brien & Wibmer, 1982, p. 88.

County records: El Paso, Kit Carson, San Juan (R1).

Grypus Germar, 1817; O'Brien & Wibmer, 1982, p. 88; O'Brien & Anderson,
1996, p. 4, Anderson, 2002, p. 731.

(3 Nearctic spp., all are recorded from Colorado).

brunnirostris (Fabricius), 1781; O'Brien & Wibmer, 1982, p. 88.

County records: Costilla, Huerfano, Jackson, Lake (R41).
(New state record).

equiseti (Fabricius), 1775; O'Brien & Wibmer, 1982, p. 88; O'Brien
& Anderson, 1996, p. 4.

County records: Costilla (?); Larimer (R41).

leechi (Cawthra), 1957, p. 128; O'Brien & Wibmer, 1982, p. 88;

O'Brien & Anderson, 1996, p. 5.

County record: Prowers (R39,UC).

Hypolesschus Fall, 1907; O'Brien & Wibmer, 1992, p. 95; O'Brien &
Anderson, 1996, p. 20; Anderson, 2002, p.737.

(1 sp., recorded from Colorado).

atratus Fall, 1907; O'Brien & Wibmer, 1992, p. 95;

O'Brien & Anderson, 1996, p. 20.

County record: Pueblo (R4); Gilpin (R39,UC).

Notaris Germar, 1817; O'Brien & Wibmer, 1982, p. 88; O'Brien & Anderson, 1996, p. 5; Anderson, 2002, p. 731.
(5 Nearctic spp., 3 are recorded from Colorado).

aethiops (Fabricius), 1792; O'Brien & Wibmer, 1982, p. 88; O'Brien & Anderson, 1996, p. 5.
County records: Larimer (R39); Lake (R41).

bimaculatus (Fabricius), 1787; O'Brien & Wibmer, 1982, p. 88; O'Brien & Anderson, 1996, p. 5.
State record only (R4, R15).

puncticollis (LeConte), 1876; O'Brien & Wibmer, 1982, p. 89; O'Brien & Anderson, 1996, p. 5.
County records: Boulder, Jefferson (R39); Larimer (R41); Moffat (GM).

Notiodes Schönherr, 1838; O'Brien & Wibmer, 1982, p. 94; O'Brien & Anderson, 1996, p. 16; Anderson, 2002, p. 732.
(12 Nearctic spp., 4 are recorded from Colorado).

aeratus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 94; O'Brien & Anderson, 1996, p. 16.
State record only (R4).

limatulus Gyllenhal, 1836; O'Brien & Wibmer, 1982, p. 94; O'Brien & Anderson, 1996, p. 17.
County records: Delta, Mesa, Weld (R39); Larimer (R41).

ovalis (LeConte), 1876; O'Brien & Wibmer, 1982, p. 94; O'Brien & Anderson, 1996, p. 17.
County records: Weld (R39,UC); Alamosa, Costilla (R41).

setosus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 94; O'Brien & Anderson, 1996, p. 16.
County record: Weld (R14).

Phyllotrox Schönherr, 1843; O'Brien & Wibmer, 1982, p. 95; O'Brien & Anderson, 1996, p. 19; Anderson, 2002, p. 738.
(7 Nearctic spp., 3 are recorded from Colorado).

nubifer LeConte, 1876; O'Brien & Wibmer, 1982, p. 96; O'Brien &

Anderson, 1996, p. 20.
County records: Costilla/Huerfano, Lake, Larimer,
Montrose (R41).

quadricollis Fall, 1907; O'Brien & Wibmer, 1982, p. 96; O'Brien &
Anderson, 1996, p. 20.
County record: Pueblo (R4, R15).

sejunctus Fall, 1913; O'Brien & Wibmer, 1982, p. 96; O'Brien &
Anderson, 1996, p. 20.
State record only (R4, R15).

Procas Stephens 1831; O'Brien & Wibmer, 1982, p. 89; O'Brien &
Anderson, 1996, p. 5; Anderson, 2002, p.731.
(1 sp., recorded from Colorado).

lecontei Bedel 1879; O'Brien & Wibmer, 1982, p. 89; O'Brien &
Anderson, 1996, p. 5.
County record: Huerfano (R4).

Promecotarsus Casey, 1892; O'Brien & Wibmer, 1982, p. 92; O'Brien &
Anderson, 1996, p. 15; Anderson, 2002, p. 739.
(3 Nearctic spp., 2 are recorded from Colorado).

densus Casey, 1892; O'Brien & Wibmer, 1982, p. 92; O'Brien &
Anderson, 1996, p. 15.
County record: Weld (R14).

fumatus Casey, 1892; O'Brien & Wibmer, 1982, p. 92; O'Brien &
Anderson, 1996, p. 15.
County record: Boulder (R39,UC); Weld (R14); Larimer
(R41).

Smicronyx Schönherr, 1843; O'Brien & Wibmer, 1982, p. 89; Anderson,
1962, p. 185; O'Brien & Anderson, 2002, p. 739; Anderson, 2002; p.
739.
(70 Nearctic spp., 17 are recorded from Colorado).

abnormis Dietz, 1894; O'Brien & Wibmer, 1982, p. 90; O'Brien &
Anderson, 1996, p. 10.
County record: El Paso (R8).

atratus Dietz, 1894; O'Brien & Wibmer, 1982, p. 90; O'Brien &

- Anderson, 1996, p. 6.
County record: Douglas (R8).
- centralis* (Dietz), 1894; O'Brien & Wibmer, 1982, p. 90; O'Brien & Anderson, 1996, p. 9.
State record only (R4, R15).
- commixtus* Dietz, 1894; O'Brien & Wibmer, 1982, p. 90; O'Brien & Anderson, 1996, p. 11.
County records: Adams, Denver, Chaffee, El Paso, Gunnison, Huerfano, Larimer, Mesa, Moffat, Pueblo (R8).
- congestus* Casey, 1892; O'Brien & Wibmer, 1982, p. 91;
O'Brien & Anderson, 1996, p. 6.
County record: Huerfano (R39, USNM).
- constrictus* (Say), 1824; O'Brien & Wibmer, 1982, p. 90;
County records: Custer, El Paso (R41). New state record).
- fulvus* LeConte, 1876; O'Brien & Wibmer, 1982, p. 91; O'Brien & Anderson, 1996, p. 14.
County records: Boulder, Denver, Garfield, Mesa (R8); Weld (R14); Custer, El Paso, La Plata (R41); Fremont, Jefferson (R39, UC).
- incertus* (Dietz), 1894; O'Brien & Wibmer, 1982, p. 91; O'Brien & Anderson, 1996, p. 14.
County record: El Paso (R8).
- ovipennis* LeConte, 1876; O'Brien & Wibmer, 1982, p. 91; O'Brien & Anderson, 1996, p. 12.
County record: Denver (R8).
- pleuralis* Casey, 1892, p. 395; O'Brien & Wibmer, 1982, p. 91;
O'Brien & Anderson, 1996, p. 12.
County record: El Paso (R8).
- scapalis* (LeConte), 1876; O'Brien & Wibmer, 1982, p. 91; O'Brien & Anderson, 1996, p. 14.
State record only (R4, R15).
- seriatus* LeConte, 1876; O'Brien & Wibmer, 1982, p. 91;

O'Brien & Anderson, 1996, p. 8.
County records: Gunnison, La Plata (R41). (New state record).

sordidus LeConte, 1876; O'Brien & Wibmer, 1982, p. 92; O'Brien & Anderson, 1996, p. 14.
County records: Boulder, Costilla, Delta, El Paso, Logan, Mesa, Otero (R8); Weld (R14); Jefferson (R39,UC)).

sparsus Casey, 1892; O'Brien & Wibmer, 1982, p. 92; O'Brien & Anderson, 1996, p. 14.
County records: El Paso (R39); Costilla (R4).

squalidus Casey, 1892; O'Brien & Wibmer, 1982, p. 92; O'Brien & Anderson, 1996, p. 13.
County records: Jefferson, Denver, Larimer (R39).

tychoides LeConte, 1876; O'Brien & Wibmer, 1982, p. 92;
O'Brien & Anderson, 1996, p. 9.
County records: Castilla/Huerfano, La Plata, Otero (R41).
(New state record).

vestitus LeConte, 1876; O'Brien & Wibmer, 1982, p. 92;
O'Brien & Anderson, 1996, p. 9.
County records: Costilla, Larimer (R41). (New state record).

Tournotaris Alonso-Zarazaga & Lyal, 1999; Anderson, 2002, p. 731.
(2 Nearctic spp., 1 is recorded from Colorado).

bimaculatus (Fabricius) 1787.
State record only (R4).

SUBFAMILY HYPERINAE

Coniatus Germar, 1817.

splendidulus (Fabricius), 1781.
County records: Baca, El Paso, Jackson, Las Animas, Mesa, Montrose, Prowers (GM). (Introduced).

Hypera Germar, 1817; O'Brien & Wibmer, 1982, p. 72; Anderson, 2002, p. 783.

(17 Nearctic spp., 6 are recorded from Colorado).

compta (Say), 1831; O'Brien & Wibmer, 1982, p. 72.

County records: El Paso, Larimer (R33).

eximia (LeConte), 1876; O'Brien & Wibmer, 1982, p. 72.

County record: Teller (R33).

postica (Gyllenhall), 1813; O'Brien & Wibmer, 1982, p. 72.

County records: Boulder, Costilla, Logan, Moffat,
Baca, Douglas, Larimer, Weld (GM); Delta, El
Paso, Logan, Mesa (R39,UC).

punctata (Fabricius), 1775; O'Brien & Wibmer, 1982, p. 72.

O'Brien & Wibmer, 1982, p. 72.

County record: Arapahoe, Boulder (R39,UC). (New state
record).

quadricollis (LeConte), 1876; O'Brien & Wibmer, 1982, p. 72.

State record only (R15).

trivittata (Say), 1831; O'Brien & Wibmer, 1982, p. 72.

State record only (R15).

SUBFAMILY LIXINAE

Apleurus Chevrolat, 1873; Anderson, 1987, p.467; Anderson, 2002, p.
785.

(6 Nearctic spp., 2 are recorded from Colorado).

angularis (LeConte), 1859; O'Brien & Wibmer, 1982, p. 73;

Anderson, 1987, p. 481.

County records: San Juan (R39); Fremont, Otero (R41);
Larimer (GM); Archuleta, El Paso, Huerfano,
Jefferson, La Plato, Prowers, Weld (R39,UC)).

lutulentus (LeConte), 1859; O'Brien & Wibmer, 1982, p. 74;

Anderson, 1987, p. 475.

County record: Baca, Otero (GM). (New state record).

Cyphocleonus Motschulsky, 1860; Anderson, 2002, p. 785.

(1 sp., recorded from Colorado (introduced)).

achates (Fahraeus), 1842.

County records: Boulder, Larimer (GM).

Larinus Dejean, 1821; O'Brien & Wibmer, 1982, p. 77; Anderson, 2002, p. 785.

(4 Nearctic spp, introduced and all recorded from Colorado).

minutus Gyllenhal, 1836; Anderson, 2002, p. 785.

Well established in many locations.

obesus Gyllenhal, 1836; Anderson, 2002, p. 785.

Well established in many locations.

obtusus Gyllenhal, 1836; Anderson, 2002, p. 785.

County record: Boulder (R11).

planus (Fabricius), 1792; O'Brien & Wibmer, 1982, p. 77;

Anderson, 2002, p. 785.

County records: Boulder, La Plata, Sedgwick (R39).

Lixus Fabricius, 1801; O'Brien & Wibmer, 1982, p. 75; Anderson, 2002, p. 785.

(69 Nearctic spp., 11 are recorded from Colorado).

concavus Say, 1831; O'Brien & Wibmer, 1982, p. 75; Anderson, 2002, p. 785.

County records: Denver, Larimer (R41); Douglas (R39,UMNH).

laramiensis Casey, 1891; O'Brien & Wibmer, 1982, p. 75;

Anderson, 2002, p. 785.

State record only (R15).

macer LeConte, 1876; O'Brien & Wibmer, 1982, p. 76.

County record: Larimer (R41).

merula Suffrian, 1871; O'Brien & Wibmer, 1982, p. 76.

State record only (New state record).

musculus Say, 1831; O'Brien & Wibmer, 1982, p. 77.

County record: Boulder (R39,UC)).

parcus LeConte, 1876; O'Brien & Wibmer, 1982, p. 76.

County records: Boulder, Larimer (R42). (New state record).

placidus LeConte, 1876; O'Brien & Wibmer, 1982, p. 76.
County record: Weld (R41).

punctinatus LeConte, 1876; O'Brien & Wibmer, 1982, p. 76.
State record only (R15).

rubellus Randall, 1838; O'Brien & Wibmer, 1982, p. 76.
County records: Adams, Kiowa, Larimer, Las Animas,
Morgan (GM). (New state record).

scrobicollis Boheman, 1836; O'Brien & Wibmer, 1982, p. 76.
County record: Adams (R39); El Paso (R24); Pueblo (R39, USNM).

semivittatus Casey, 1891; O'Brien & Wibmer, 1982, p. 77.
County record: Montezuma (R24).

Microlarinus Hockhurth, 1847; O'Brien & Wibmer, 1982, p. 77;
Anderson, 2002, p. 785.
(2 Nearctic spp., both are recorded from Colorado, introduced and established).

lareynii (Jacquelin de Val), 1852; O'Brien & Wibmer, 1982, p. 77.
Well established in many locations.

lypriiformis (Wollaston), 1861; O'Brien & Wibmer, 1982, p. 77.
Well established in many locations.

Rhinocyllus Germar, 1817; O'Brien & Wibmer, 1982, p. 77; Anderson, 1987, p. 447; Anderson, 2002, p. 785.
(1 sp., recorded from Colorado).

conicus (Froelich), 1792; O'Brien & Wibmer, 1982, p. 77.
County records: Boulder, Montezuma (R39); Adams, Arapahoe,
Douglas, El Paso, Larimer, Weld (GM).

Scaphomorphus Motschulsky 1860; Anderson, 2002, p. 785.
(19 Nearctic spp., 12 are recorded from Colorado).

calandroides (Randall), 1838; O'Brien & Wibmer, 1982, p. 73.
County record: Boulder (R39,UC). (New state record).

canescens (LeConte), 1876; O'Brien & Wibmer, 1982, p. 74;
Anderson, 1987, p. 518.
County records: Boulder, Moffett, Prowers, Denver, Baca,
Bent, Logan, Morgan, Jefferson, Larimer, Mesa, Weld
(R139,GM & UC); Chaffee, Fremont, Larimer, Otero (R41).

circumductus (Casey), 1891; O'Brien & Wibmer, 1982, p. 74.
County record: Jefferson (R39,UC)).

collaris (LeConte), 1876; O'Brien & Wibmer, 1982, p. 74; Anderson,
1987, p. 523.
County record: Larimer (R6, GM).

erysimi (Fall), 1901; O'Brien & Wibmer, 1982, p. 74; Anderson,
1987, p. 500.
State record only (R6, R15).

frontalis (LeConte), 1876; O'Brien & Wibmer, 1982, p. 74;
Anderson, 1987, p. 515.
County records: Saguache (R41); Denver, Larimer,
Moffat, Weld (R39,GM & UC).

lobigerinus (Casey), 1891; O'Brien & Wibmer, 1982, p. 74;
Anderson, 1987, p. 515.
County record: Eagle (R39,UC)).

poricollis (Mannerheim), 1843; O'Brien & Wibmer, 1982, p. 74;
Anderson, 1987, p. 527.
County records: Larimer, Montezuma (GM).

puberulus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 74;
Anderson, 1987, p. 522.
County records: Larimer, Weld (R41).

quadrilineatus (Chevrolat), 1873; O'Brien & Wibmer, 1982, p. 75;
Anderson, 1987, p. 522.
County records: Larimer, Mesa (GM).

texanus (LeConte), 1876; O'Brien & Wibmer, 1982, p. 75; Anderson,
1987, p. 510.

County records: Otero (R41); Larimer (GM).

trivittatus (Say), 1831; O'Brien & Wibmer, 1982, p. 75; Anderson, 1987, p. 537.

County records: Weld (R14); Boulder (R39,UC)); Kiowa, Larimer, Lincoln, Mesa, Moffett (GM).

Stephanocleonus Motschulsky, 1860; O'Brien & Wibmer, 1982, p. 73; Anderson, 1987, p. 453; Anderson, 2002, p. 785.
(6 Nearctic spp., 4 are recorded from Colorado).

confusus Anderson, 1987.

County records: Boulder, Conejos, Grand, Grand/Jackson, Lake, Park/Jefferson, Summit (R6).

crustaticollis Csiki, 1934; O'Brien & Wibmer, 1982, p. 74; Anderson, 1987, p. 459.

County records: Lake, Teller (R41). (New state record).

immaculatus Anderson, 1987.

County record: Douglas (R6).

plumbeus LeConte, 1876; O'Brien & Wibmer, 1982, p. 74; Anderson, 1987, p. 453.

County records: Otero (R41).

SUBFAMILY MECININAE

Mecinus Germar, 1821; O'Brien & Wibmer, 1982, p. 121; Anderson, 2002, p. 738.

(2 Nearctic spp., both are recorded from Colorado).

janthinus Germar, 1817.

County records: Arapahoe, El Paso, Jefferson, Larimer, Mesa (GM).

pyraster (Herbst), 1795; O'Brien & Wibmer, 1982, p. 121.

County records: Boulder, Delta, Mesa, Montezuma (GM).

Rhinusa Stephens, 1829; O'Brien & Wibmer, 1982, p. 121; not in Anderson, 2002.
(4 Nearctic spp., 2 are recorded from Colorado).

antirrhini (Paykull), 1800; O'Brien & Wibmer, 1982, p. 121.
County record: Larimer (GM).

tetrum (Fabricius), 1792; O'Brien & Wibmer, 1982, p. 121.
County records: Arapahoe, Douglas, Larimer (GM); Boulder, Custer, Fremont, Jefferson (R39,UC).

SUBFAMILY MESOPTILINAE

Laemosaccus Schönherr, 1823; O'Brien & Wibmer, 1982, p. 102; Anderson, 2002, p. 786.
(2 Nearctic spp., 1 is recorded from Colorado).

nephele (Herbst), 1797; O'Brien & Wibmer, 1982, p. 102.
County record: Montrose (R39).

Magdalis Germar, 1817; O'Brien & Wibmer, 1982, p. 101; Anderson, 2002, p. 786.
(25 Nearctic spp., 11 are recorded from Colorado).

aenescens LeConte, 1876; O'Brien & Wibmer, 1982, p. 101.
County record: Boulder (R41).

alutacea LeConte, 1878; O'Brien & Wibmer, 1982, p. 101.
County record: Costilla, Mesa, Montezuma, Ouray, Teller (R39); El Paso, Grand, Larimer, Teller (GM).

armicollis (Say), 1824; O'Brien & Wibmer, 1982, p. 101.
County records: Larimer, Logan, Saguache (GM).

cuneiformis Horn, 1873; O'Brien & Wibmer, 1982, p. 101.
County record: Jefferson (R41).

gentilis LeConte, 1876; O'Brien & Wibmer, 1982, p. 101.
County records: Costilla, Gunnison, Montrose (R41); Chaffee, Delta, Dolores, Douglas, Elbert, Fremont, Grand, Larimer, Mineral, Montezuma,

Park, Pueblo, Weld (GM); Boulder, Gilpin (R39,UC)).

gracilis (LeConte), 1857; O'Brien & Wibmer, 1982, p. 101.

County record: Montrose (R41). (New state record).

hispidoides LeConte, 1876; O'Brien & Wibmer, 1982, p. 101.

County records: Costilla, Dolores, Huerfano, Ouray (R41);
Elbert, Larimer, Saguache (GM).

imbellis LeConte, 1857; O'Brien & Wibmer, 1982, p. 101.

County record: Clear Creek (R41). (New state
record).

inconspicua Horn, 1873; O'Brien & Wibmer, 1982, p. 101.

County record: Alamosa (R41). (New state record).

lecontei Horn, 1873; O'Brien & Wibmer, 1982, p. 101.

County records: Alamosa, Archuleta, Boulder,
Chaffee, Costilla, Elbert, El Paso, Huerfano,
Jefferson, Larimer, Montezuma, Montrose, Park,
Pueblo, Weld (GM).

subtinctoria LeConte, 1876; O'Brien & Wibmer, 1982, p. 101.

County records: Jefferson, Larimer, San Miguel (GM).

SUBFAMILY MOLYTINAE

Conotrachelus Dejean, 1835; O'Brien & Wibmer, 1982, p. 126; Anderson,
2002, p 790.

(63+ Nearctic spp., 6 are recorded from Colorado).

affinis Boheman, 1837; O'Brien & Wibmer, 1982, p. 126.

County record: Denver, Larimer, Weld (GM).

anaglypticus (Say), 1831; O'Brien & Wibmer, 1982, p. 127.

County record: Mesa (R39). (New state record).

leucophaeatus Fahraeus 1837; O'Brien & Wibmer, 1982, p. 130.

County record: El Paso, Jefferson (R41); Denver,
Larimer, Weld (GM); Boulder (R39,UC)).

nenuphar (Herbst) 1797; O'Brien & Wibmer, 1982, p. 130.

County record: Garfield, Mesa (GM).

neomexicanus Fall 1913; O'Brien & Wibmer, 1982, p.

County records: Bent, Boulder, Douglas, El Paso,
Larimer, La Plata (GM).

nivosa LeConte, 1876; O'Brien & Wibmer, 1982, p. 130.

County record: Las Animas (R41) Larimer, Weld (GM);
Boulder (R39,UC)).

Hylobius Germar, 1817; O'Brien & Wibmer, 1982, p. 79; Anderson 2002, p.
791.

(8 Nearctic spp., 2 are recorded from Colorado).

pinicola (Couper), 1864; O'Brien & Marshal, 1986.

State record only (R3, R15).

transversersovittatus (Goeze), 1777; Anderson, 2002, p.
791.

State record only (introduced and established) (R11).

Lepyrus Germar, 1817; O'Brien & Wibmer, 1982, p. 73; Anderson, 2002, p.
791.

(6 Nearctic spp., 2 are recorded from Colorado).

gemellus errans Casey, 1895; O'Brien & Wibmer, 1982, p. 73.

County record: Clear Creek/Summit (R41).

palustris pinguis Casey, 1895; O'Brien & Wibmer, 1982, p. 73.

County records: Costilla, Denver, Larimer, Weld
(R41, R42).

Pissodes Germar, 1817; O'Brien & Wibmer, 1982, p. 86; O'Brien 1989, p. 1;
Anderson, 2002, p.792.

(22 Nearctic spp., 8 are recorded from Colorado).

burkei Hopkins, 1911; O'Brien & Wibmer, 1982, p. 86;

O'Brien, 1989, p. 2.

County record: Ouray (R2).

coloradensis Hopkins, 1911; O'Brien & Wibmer, 1982, p.

86; O'Brien, 1989, p. 2.

County record: Lake (R2).

costatus Mannerheim, 1852; O'Brien & Wibmer, 1982, p. 86;
 O'Brien, 1989, p. 2.
 County record: Costilla/Huerfano (R41, R42). (New
 state record).

fasciatus LeConte, 1876; O'Brien & Wibmer, 1982, p. 86;
 O'Brien, 1989, p. 2.
 County records: Lake, Ouray, Summit (R41). (New
 state record).

murrayanae Hopkins, 1911; O'Brien & Wibmer, 1982, p. 86;
 O'Brien, 1989, p. 2.
 Record: "Howe" (R39,UMNH). (New state record ?). Note:
 "Howe" not found in Geographic Names Information System
 (GNIS), State of Colorado (R39).

schwarzi Hopkins, 1911; O'Brien & Wibmer, 1982, p. 87; O'Brien
 1989, p. 3.
 County record: Costilla/Huerfano (R2).

strobi (Peck), 1817; O'Brien & Wibmer, 1982, p.87; O'Brien, 1989, p.
 4.
 State record only (R2, R15).

terminalis Hopping, 1920; O'Brien & Wibmer, 1982, p. 87;
 O'Brien, 1989, p. 4.
 State record only (R2).

Rhyssomatus Schöenherr 1837; O'Brien & Wibmer, 1982, p. 126;
 Anderson, 2002, p. 790.
 (17 Nearctic spp., 2 are recorded from Colorado).

grandicollis (Casey), 1895; O'Brien & Wibmer, 1982, p. 125.
 County record: Larimer (GM).

lineaticollis (Say), 1824; O'Brien & Wibmer, 1982, p. 126.
 County records: Baca (R39,UC)); Larimer (R41); Kiowa,
 Powers, Yuma (GM). (New state record).

palmacollis (Say), 1831; O'Brien & Wibmer, 1982, p.
 126.
 County record: Las Animas (R39,UC).

SUBFAMILY OTIDOCEPHALINAE

Myrmex Sturm, 1826; O'Brien & Wibmer, 1982, p. 97; Anderson, 2002, p. 736.
(31 Nearctic spp., 2 are recorded from Colorado).

estriatus(Casey) 1892; O'Brien & Wibmer, 1982, p. 98.
County records: Douglas, Montezuma (GM).

lineatus (Pascoe), 1872; O'Brien & Wibmer, 1982, p. 98.
County record: Moffat (GM); Costilla (R39,UC). (New state record).

SUBFAMILY PLATYPODINAE

Treptoplatypus Schedl, 1939; Rabaglia, 2002, p. 806.
(2 Nearctic spp., 1 recorded from Colorado).

abietis (Wood), 1958.
County records: El Paso (GM); Jefferson (R31). (New state record).

SUBFAMILY RHYNCHAENINAE

Isochnus C. G. Thomson, 1859; Anderson, 1989, p. 269; Anderson, 2002, p. 738.
(5 Nearctic spp., 1 recorded from Colorado).

rufipes (LeConte), 1876; O'Brien & Wibmer, 1982, p. 114; Anderson, 1989, p. 283.
State record only (R7).

Orchestes Illiger, 1798; O'Brien & Wibmer, 1982, p. 113; Anderson, 1989, p. 216; Anderson, 2002, p. 739.
(5 Nearctic spp., 2 are recorded from Colorado).

alni (Linnaeus), 1758; O'Brien & Wibmer, 1982, p. 113.
County records: Adams, Crowley, Denver, Larimer (GM).

canus (Horn), 1878; O'Brien & Wibmer, 1982, p. 113.

County records: Larimer, Las Animas (R41).

niger Horn, 1873; O'Brien & Wibmer, 1982, p. 113.

County records: Costilla, Huerfano (R41). (New state record).

pallicornis Say, 1831; O'Brien & Wibmer, 1982, p. 113; Anderson, 1989, p. 238.

County records: Adams, Larimer, Denver (GM).

parvicollis LeConte, 1876; O'Brien & Wibmer, 1982, p. 114.

State record only (R15, R41).

rufipes LeConte, 1876; O'Brien & Wibmer, 1982, p. 114.

County records: Chaffee, Custer, Costilla, Huerfano (R41).

salicis (Linnaeus), 1758; O'Brien & Wibmer, 1982, p. 114.

County record: La Plata (R41). (New state record).

Tachyerges Schönherr, 1825; Anderson, 2002, p. 739.

(3 Nearctic spp., all recorded from Colorado).

ephippiatus (Say), 1831; O'Brien & Wibmer, 1982, p. 113; Anderson 1989, p. 262.

County record: Arapahoe (R39,UC)).

niger (Horn), 1873; O'Brien & Wibmer, 1982, p. 113; Anderson 1989, p. 254.

County record: Arapahoe (R39,UC)).

salicis (Linnaeus), 1758; O'Brien & Wibmer, 1982, p. 114.

Anderson 1989, p. 265.

State record only (R7).

SUBFAMILY SCOLYTINAE

Cactopinus Schwarz, 1899; Wood, 1982, p. 637; Rabaglia, 2002, p. 802; Bright, 2021, p. 246.

(5 Nearctic spp., 1 recorded from Colorado).

koebelei Blackman, 1938; Wood, 1982, p. 645; Bright, 2021, p. 247.
County record: Mesa (GM). (New state record).

Carphoborus Eichhoff, 1864; Wood, 1982, p. 371; Rabaglia, 2002, p. 805;
Bright, 2021, p. 250.
(10 Nearctic spp., 5 are recorded from Colorado).

intermedius Wood, 1954; Wood, 1982, p. 384; Bright, 2021, p. 251.
County records: Garfield, Grand (R22); Larimer (GM).

perplexus Wood, 1960; Wood, 1982, p. 384; Bright, 2021, p. 251.
County record: Larimer (R34).

pinicolens Wood, 1954; Wood, 1982, p. 377; Bright, 2021, p.
251.
County records: Larimer, Mesa, Montezuma, Routt (GM).

ponderosae Swaine, 1924; Wood, 1982, p. 382; Bright, 2021, p.
252.
County record: Hinsdale (GM). (New state record).

sansoni Swaine, 1924; Wood, 1982, p. 380; Bright, 2021, p. 252.
County records: Jackson, Rio Grande (R22); Adams
(GM).

Chaetophloeus LeConte, 1876; Wood, 1982, p. 348; Rabaglia, 2002, p. 800;
Bright, 2021, p. 253.
(9 Nearctic spp., 2 are recorded from Colorado).

heterodoxus (Casey), 1886; Wood, 1982, p. 355; Bright, 2021, p. 253.
County records: Boulder, Denver, Douglas, Eagle, El Paso,
Jefferson, Larimer, Mesa, Weld (GM).

penicillatus (Bruck), 1933; Wood, 1982, p. 361; Bright, 2021, p.
255.
State record only (R22).

Conophthorus Hopkins 1915; Wood, 1982, p. 982; Rabaglia, 2002, p. 804;
Bright, 2021, p. 286.
(8 Nearctic spp., 2 are recorded from Colorado).

edulis Hopkins, 1915; Wood, 1982, p. 985; Bright, 2021, p. 286.
County records: Chaffee, Costilla, El Paso, Fremont,

Huerfano, Los Animas, Mesa (R22, GM); Custer, Denver, Douglas, El Paso, Fremont, Gilpin, Jefferson, Saguache, Weld (GM).

ponderosae Hopkins, 1915; Wood, 1982, p. 990; Bright, 2021, p. 287.
County records: Boulder, Douglas, El Paso, Jefferson, Larimer, Otero, Logan, Teller (GM).

Corthylus Erichson, 1836; Wood, 1982, p. 1270; Rabaglia, 2002, p. 805; Bright, 2021, p. 293.
(3 Nearctic spp., 1 is recorded from Colorado).

punctatissimus (Zimmermann), 1868; Wood, 1982, p. 1200; Bright, 2021, p. 300.
County records: Denver, Larimer (R22); Arapahoe, Douglas, Jefferson (GM).

Cryphalus Erichson, 1836; Wood, 1982, p. 867; Rabaglia, 2002, p. 804; Bright, 2021, p. 319.
(3 Nearctic spp., 1 is recorded from Colorado).

ruficollis Hopkins, 1915; Wood, 1982, p. 870; Bright, 2021, p. 305.
County records: Larimer/Jackson (R22); Boulder, Delta, Denver, Grand, Gunnison, Ouray, Routt, San Miguel (GM).

Crypturgus Erichson, 1836; Wood, 1982, p. 740; Rabaglia, 2002, p. 802; Bright, 2021, p. 319.
(3 Nearctic spp., 1 is recorded from Colorado).

borealis Swaine 1917; Wood, 1982, p. 742; Bright, 2021, p. 319.
County records: Adams, Arapahoe, Denver, La Plata, Larimer, Ouray, Rio Blanco, Routt, San Miguel, Saguache (GM).

Dendrocranulus Schedl, 1937; Wood, 1982, p. 708; Rabaglia, 2002, p. 802; Bright, 2021, p. 339.
(3 Nearctic spp., 1 is recorded from Colorado).

knausi (Hopkins), 1915; Wood, 1982, p. 722; Bright, 2021, p. 341.
County record: Adams, Arapahoe, Fremont, Huerfano, Pueblo (GM). (New state record).

Dendroctonus Erichson, 1836; Wood, 1982, p. 150; Rabaglia, 2002, p. 800; Bright, 2012, p. 342.
(13 Nearctic spp., 8 recorded from Colorado).

adjunctus Blandford, 1897; Wood, 1982, p. 167; Bright, 2021, p. 342.
County records: Costilla, Las Animas, La Plata,
Montezuma, Rio Grande, Pueblo, Huerfano (R22);
Alamosa, Archuleta, Custer, Montrose (GM).

approximatus Dietz, 1800; Wood, 1982, p. 164; Bright, 2021, p. 342.
County records: Bent, Boulder, El Paso, Gilpin, Huerfano,
Larimer, Rio Grande (R22); Boulder, Custer, Dolores,
La Plata, Mesa, Montezuma, Park (GM); Park (R39,UC).

brevicomis barberi Hopkins, 1909; Wood, 1982, p. 154; Bright, 2021, p. 342.
County records: Archuleta, Jefferson, Boulder, La Plata,
Montezuma, Costilla, Ouray, Rio Grande (GM).

murrayanae Hopkins 1909; Wood, 1982, p. 189; Bright, 2021, p. 343.
County records: Chaffee, Moffat, Park, Summit (R39, R22).

ponderosae Hopkins, 1902; Wood, 1982, p. 171; Bright, 2021, p. 343.
County records: Archuleta, Bent, Chaffee, Costilla, Custer,
Douglas, Eagle, El Paso, Garfield, Gilpin, Huerfano,
Jackson, La Plata, Larimer, Montrose, Ouray, Park,
Pueblo/Custer, Rio Blanco, Rio Grande, Routt, Saguache,
Teller (R22); Adams, Boulder, Conejos, Douglas, Fremont,
Grand, Gunnison, Jefferson, Las Animas, Moffat, Morgan,
Summit, Weld (GM).

pseudotsugae Hopkins, 1905; Wood, 1982, p. 199; Bright, 2021, p. 343.
County records: Archuleta, Costilla, El Paso, Moffat,
Saguache (R22); Chaffee, Douglas, Jefferson, Larimer,
Logan, Mesa, Pueblo (GM).

rufipennis (Kirby), 1837; Wood, 1982, p. 192; Bright, 2021, p. 344.
County records: Boulder, Clear Creek, Chaffee, Delta,
Eagle, Garfield, Grand, Gunnison, Jackson, Lake,
Larimer, Ouray, Rio Blanco, Routt, Teller (R22);
Adams, Archuleta, Conejos, Dolores, Gilpin,
Hinsdale, Jefferson, Mesa, La Plata, Las Animas,

Mineral, Park, Pitkin, San Juan, Saguache (GM);
Costilla (R39,UC).

valens LeConte, 1860; Wood, 1982, p. 182; Bright, 2021, p. 344.

County records: Park, El Paso, Larimer, Costilla,
Douglas, Boulder, Pitkin (R22); Adams, Arapahoe,
Bent, Delta, Denver, Dolores, Fremont, Garfield,
Gilpin, Huerfano, Jackson, Jefferson, La Plata, Las
Animas, Mesa, Montrose, Montezuma, Teller (GM).

Dryocoetes Eichhoff, 1864; Wood, 1982, p. 723; Rabgalia, 2002, p. 802;
Bright, 2021, p. 351.

(7 Nearctic spp., 4 are recorded from Colorado).

affaber (Mannerheim), 1868; Wood, 1982, p. 729; Bright, 2021, p.
351.

County records: Boulder, Chaffee, Clear Creek, Gilpin, Grand,
Gunnison, Hinsdale, Jackson, Larimer, Rio Grande,
Routt, Moffat, Pitkin (R39, R40)

autographus (Ratzeburg), 1837; Wood, 1982, p. 725; Bright, 2021, p.
351.

County records: Larimer, La Plata, Moffat, Park, Saguache,
Teller, (R40).

caryi Hopkins, 1915; Wood, 1982, p. 730; Bright, 2021, p. 352.

County records: Chaffee, Dolores, Garfield, Larimer,
Montrose/Ouray (R39, R40).

confusus Swaine, 1912; Wood, 1982, p. 727; Bright, 2021, p. 351.

County records: Adams, Clear Creek, Dolores, Garfield,
Gilpin, Grand, Huerfano, Jackson, Jackson/Grand,
Larimer, La Plata, Mesa, Ouray, Pitkin, Routt, San
Juan, San Miguel, Weld (GM , R22); Boulder (R39,UC)).

Gnathotrichus Eichhoff, 1869; Wood, 1982, p. 1155; Rabgalia, 2002, p. 805;
Bright, 2021, p. 372.

(7 Nearctic spp., 4 are recorded from Colorado).

denticulatus Blackman, 1931; Wood, 1982, p. 1163; Bright, 2021, p.
372.

County records: Adams, Arapahoe, Archuleta, Boulder, Chaffee,
Denver, Douglas, El Paso, Gilpin, Gunnison, Jefferson, La

Plata, Larimer, Las Animas, Montezuma, Park, San Miguel,
Ouray, Weld (R22); Huerfano (GM).

materiarius (Fitch), 1858; Wood, 1982, p. 1160; Bright, 2021, p. 372.

County record: Adams, Douglas, Larimer (GM). (New state record).

pilosus (LeConte), 1868; Wood, 1982, p. 1160; Bright, 2021, p. 373.
County records: Fremont (GM), (New state record).

retusus (LeConte), 1868; Wood, 1982, p. 1163; Bright, 2021, p. 373.
County records: Arapahoe, Boulder, Douglas, Huerfano,
Jefferson, Larimer, Las Animas (R39, R41).

sulcatus (LeConte), 1868; Wood, 1982, p. 1164; Bright, 2021, p. 373.
County records: Adams, Boulder, Chaffee, Delta, Douglas,
El Paso, Gilpin, Jefferson, La Plata, Larimer, Montrose,
Pueblo, Teller (R39, R22).

Hylastes Erichson, 1836; Wood 1982, p. 93; Rabaglia, 2002, p. 799; Bright, 2021, p. 380.

(14 Nearctic spp., 6 are recorded from Colorado).

asperatus Wood, 1975; Wood, 1982, p. 104; Bright, 2021, p. 380.
County record: Mineral (GM). (New state record).

fulgidus Blackman, 1941; Wood, 1982, p. 95; Bright, 2021, p. 381.
County record: Arapahoe, Garfield (R22); Boulder, Denver,
Douglas, Eagle, El Paso, Fremont, Huerfano,
Jefferson, Mesa, Montrose, Montezuma, Pueblo (GM).

gracilis LeConte, 1868; Wood, 1982, p. 101; Bright, 2021, p. 381.
County records: La Plata, Larimer, Montrose (R22);
Costilla, Custer, Lake (R41); Adams, Arapahoe,
Boulder, Delta, Denver, Douglas, Eagle,
El Paso, Fremont, Gilpin, Huerfano, Jefferson,
Pueblo, Teller, Weld (GM); Clear Creek (R39,UC)).

macer LeConte, 1868; Wood, 1982, p. 104; Bright, 2021, p. 382.
County record: Larimer (R22); Boulder, Douglas,
Gilpin, Las Animas, Montrose, Montezuma, Teller

(GM); Mesa (R39,UC).

ruber Swaine, 1915; Wood, 1982, p. 99.

County records: Boulder, Delta, Denver, Douglas, Fremont
Gilpin, Jefferson, Larimer, Mesa, Montezuma,
Teller (GM). (New state record).

subopacus Blackman, 1941; Wood, 1982, p. 107; Bright, 2021, p. 383.

County records: San Juan (R22); Clear Creek,
Douglas, El Paso, Gunnison, Grand, Huerfano,
Mesa, Weld (GM).

Hylesinus Fabricius, 1801; Wood, 1982, p. 110; Rabaglia, 2002, p. 799;
Bright, 2021, p. 387.

(7 Nearctic spp., 3 species recorded from Colorado).

aculeatus Say, 1824; Wood, 1982, p. 112; Bright, 2021, p. 387.

County record: Larimer (R22); Boulder, Denver, Larimer,
Weld (R39).

californicus (Swaine), 1916; Wood, 1982, p. 116; Bright, 2021, p.
387.

County record: Denver (R22); Adams, Arapahoe, Boulder,
Denver, El Paso, Larimer, Mesa, Weld
(R39,GM).

criddlei (Swaine), 1918; Wood, 1982, p. 114; Bright, 2021, p. 388.

County records: Denver, Larimer (R22); Arapahoe, Boulder,
Weld (R39,GM).

Hylurgops LeConte, 1876; Wood, 1982, p. 82; Rabaglia, 2002, p. 799;
Bright, 2021, p. 396.

(6 Nearctic spp., 3 recorded from Colorado).

pinifex (Fitch), 1858; Wood, 1982, p. 90; Bright, 2021, p. 397.

County records: Grand, Larimer, Park, Summit (R22).

porosus (LeConte), 1868; Wood, 1982, p. 85; Bright, 2021, p. 398.

County records: Adams, Costilla, Grand, Jefferson, Larimer,
Las Animas (R22); Boulder (R41); Gilpin (R39,UC).

reticulatus Wood, 1971; Wood, 1982, p. 88; Bright, 2021, p. 398.

County records: Boulder, Larimer, Teller (R22).

Ips DeGeer, 1775; Wood, 1982, p. 667; Rabaglia, 2002, p. 802.
(23 Nearctic spp., 14 are recorded from Colorado).

borealis lanieri Wood, 1974; Wood, 1982, p. 683; Bright, 2021, p. 427.

County records: Hinsdale, Garfield (R22); Boulder, Larimer, Montrose (GM).

calligraphus (Germar), 1824; Wood, 1982, p. 697; Bright, 2021, p. 427.

County records: Boulder (R39,UC); Adams, Arapahoe, Denver, Douglas, El Paso, Huerfano, Larimer, Los Animas, Prowers, Pueblo (GM).

confusus (LeConte), 1876; Wood, 1982, p. 703; Bright, 2021, p. 428.

County records: Costilla, El Paso, Fremont, Grand, Mesa, Moffat, Montezuma, Montrose, Saguache, San Miguel, Teller (R22); Dolores (R39).

cribricollis (Eichhoff), 1869; Wood, 1982, p. 699; Bright, 2021, p. 428.

State record only (R22).

hunteri Swaine, 1917; Wood, 1982, p. 681; Bright, 2021, p. 428.

County records: Dolores, Larimer, Mineral (R22).

integer (Eichhoff), 1869; Wood, 1982, p. 693; Bright, 2021, p. 429.

County records: Archuleta, Boulder, El Paso, Garfield, Larimer, Larkspur, Las Animas, Montezuma, Park, San Miguel, Teller (R22); Chaffee (R41).

knausi Swaine, 1915; Wood, 1982, p. 697; Bright, 2021, p. 429.

County records: Boulder, Fremont, La Plata, Larimer, Ouray, Park (R22).

lecontei Swaine, 1924; Wood, 1982, p. 701; Bright, 2021, p. 429.

County record: Jefferson (GM). (New state record).

perturbatus (Eichhoff), 1869; Wood, 1982, p. 677; Bright, 2021, p. 429.

County record: Jackson/Larimer (GM).

pilifrons pilifrons Swaine, 1912; Wood, 1982, p. 686; Bright, 2021, p. 429.

County records: Garfield, Jackson/Grand, Larimer, Moffat (R22); Chaffee, Delta, Grand, Gunnison, Hinsdale (GM); Costilla, Mineral (R39,UC).

pilifrons sulcifrons Wood, 1960; Wood, 1982, p. 688; Bright, 2021, p. 429.

County records: Rio Grande (R22); Mineral (GM).

pilifrons utahensis Wood, 1960; Wood, 1982, p. 688; Bright, 2021, p. 429.

County records: Boulder, Eagle, Garfield, Hinsdale, Jackson, Lake, Larimer, Routt, Saguache (R22).

pini (Say), 1826; Wood, 1982, p. 691; Bright, 2021, p. 430.

County records: numerous counties (R22); Boulder, Dolores, Douglas, El Paso, Huerfano, Lake, Pueblo (R41); Gilpin, La Plata (R39,UC).

woodi Thatcher, 1965; Wood, 1982, p. 680; Bright, 2021, p. 431.

County records: Boulder (GM).

Monarthrum Kirsch, 1866; Wood, 1982, p. 1206; Rabaglia, 2002, p. 805.

(5 Nearctic spp., 1 is recorded from Colorado).

fasciatum (Say), 1826; Wood, 1982, p. 1235.

County record: Denver (GM). (New state record).

Orthotomicus Ferrari, 1867; Wood, 1982, p. 662; Rabaglia, 2002, p. 802.

(5 Nearctic spp., 3 are recorded from Colorado).

caelatus (Eichhoff), 1868; Wood, 1982, p. 663; Bright, 2021, p. 459.

County records: Huerfano (R41).

latidens (LeConte), 1874; Wood, 1982, p. 676; Bright, 2021, p. 460.

State record only (R22); Huerfano (R41).

ornatus (Swaine), 1916; Wood, 1982, p. 657; Bright, 2021, p. 460.

County records: Douglas, Eagle, El Paso, Fremont, Gunnison, Larimer, Las Animas, Montrose, Park (R22); Boulder

(R39,UC); Archuleta, Baca, Chaffee, Grand, Jackson,
Jefferson, La Plata, Montezuma, Yuma (GM).

Pachysquamosus Marcado and Negron, 2014; Bright, 2021, p.

67, 463.

(1 Nearctic sp., recorded from Colorado).

subcostulatus (Mannerheim), 1853; Wood, 1982, p. 91; Bright, 2021,
p. 463.

County records: Boulder, Jefferson, Larimer, Montrose, Park,
San Miguel (R22).

Phloeosinus Chapuis, 1866; Wood, 1982, p. 286; Rabaglia, 2002, p. 800;
Bright, 2021, p. 468.

(25 Nearctic spp., 5 are recorded from Colorado).

dentatus Say, 1826; Wood, 1982, p. 294; Bright, 2021,
p. 470.

County record: Prowers (GM). (New state record).

furnissi Blackman, 1942; Wood, 1982, p. 306; Bright,
2021, p. 470.

County record: Montezuma (R22).

hoferi Blackman, 1942; Wood, 1982, p. 315; Bright, 2021,
p. 471.

County records: Boulder, Chaffee, Costilla, Dolores, El Paso,
Jefferson, Larimer, Montezuma, Teller (R22).

pini Swaine, 1915; Wood, 1982, p. 291; Bright, 2021, p.
472.

County record: Larimer (GM). New state record).

scopulorum neomexicanus Blackman, 1942; Wood, 1982, p.
303; Bright, 2021, p. 473.

County records: Costilla, El Paso, Montezuma, Teller (R22).

Phloeotribus Latreille, 1796; Wood, 1982, p. 256; Rabaglia, 2002, p. 800;
Bright, 2021, p. 475.

(9 Nearctic spp., 4 are recorded from Colorado).

dentifrons Blackman, 1921; Wood, 1982, p. 272; Bright, 2021, p. 476.

County record: Gilpin, Otero (GM). (New state record).

frontalis (Olivier), 1795; Wood, 1982, p. 270; Bright, 2021, p. 476.
County records: Adams, Larimer (GM). (New state record).

lecontei Schedl, 1962; Wood, 1982, p. 269; Bright, 2021, p. 477.
County records: Huerfano (R41); Grand, Gunnison, Larimer, Mineral (GM).

pruni Wood, 1956; Wood, 1982, p. 266; Bright, 2021, p. 479.
County records: Boulder, El Paso, Larimer (R22).

Pityogenes Bedel, 1888; Wood, 1982, p. 649; Rabaglia, 2002, p. 802; Bright, 2021, p. 484.
(7 Nearctic spp., 3 are recorded from Colorado).

carinulatus (LeConte), 1874; Wood, 1982, p. 653; Bright, 2021, p. 485.
County records: Larimer, La Plata (R22); Adams, Arapahoe, Chaffee, Dolores, El Paso, Huerfano, Los Animas, Moffat, Jefferson, Montrose, Montezuma, Teller, Mesa (GM); Archuleta, Boulder, Dolores (R39,GM).

fossifrons (LeConte), 1876; Wood, 1982, p. 651; Bright, 2021, p. 485.
County records: Larimer, Saguache (R22); Huerfano (R41); Gilpin, Teller (GM).

plagiatus knechteli Swaine, 1918; Wood, 1982, p. 655; Bright, 2021, p. 486.
County records: Eagle, Grand, Jackson, Lake, Larimer (R22); Adams, Boulder, Chaffee, Clear Creek, Denver, Gunnison, Jefferson, Weld (GM).

Pityokteines Fuchs, 1911; Wood, 1982, p. 656; Rabaglia, 2002, p. 802; Bright, 2021, p. 487.
(4 Nearctic spp., 1 is recorded from Colorado).

lasiocarpa (Swaine), 1916; Wood, 1982, p. 660; Bright, 2021, p. 487.
County records: Gilpin, Huerfano, Larimer (GM).

minutus (Swaine), 1912; Wood, 1982, p. 659; Bright, 2021, p. 487.

County records: Dolores, Jackson, Jackson/Larimer,
Mineral, Ouray (R22); Baca, Clear Creek, Douglas,
Eagle, Grand, La Plata, Routt (GM).

Pityophthorus Eichhoff, 1864; Wood, 1982, p. 991; Rabaglia, 2002, p.
804; Bright, 2021, p. 488.

(104 Nearctic spp., 29 are recorded from Colorado, plus several
unnamed species).

absonus Blackman, 1928; Bright, 1981, p. 230; Wood, 1982, p. 1037;
Bright, 2021, p. 488.

County records: Larimer/Jackson, Jefferson, Jackson (R35);
Larimer (R22, R35); Alamosa, Clear Creek, Costilla,
Park, Mineral (GM).

acutus Blackman, 1928; Bright, 1981, p. 321; Wood, 1982, p. 1111;
Bright, 2021, p. 488.

County records: Larimer (R22); Huerfano (GM).

aplanatus Schedl, 1930; Bright, 1981, p. 212; Wood, 1982, p. 1032;
Bright, 2021, p. 496.

County record: Grand (GM). (New state record).

aquilus Blackman, 1928; Bright, 1981, p. 224; Wood, 1982, p. 1037;
Bright, 2021, p. 488.

County records: Costilla, Douglas, Jackson, Larimer,
Saguache/El Paso, Teller (R22); Chaffee/Gunnison,
Jefferson, Park (R35); Boulder, Huerfano, Montrose,
Montezuma, La Plata; Elbert, Douglas (GM).

barberi Blackman, 1928; Bright, 1981, p. 69; Wood, 1982, p. 1117;
Bright, 2021, p. 491.

County records: Costilla, El Paso (R22, R35); Larimer (GM).

bassetti Blackman, 1920; Bright, 1981, p. 318; Wood,
1982, p. 1109; Bright, 2021, p. 491.

County records: Costilla, Larimer (R22); Gilpin, El Paso
(GM).

blandus Blackman, 1928; Bright, 1981, p. 245 ; Wood,
1982, p. 1066; Bright, 2021, p. 491.

County records: Mesa, Montezuma (R22, R35).

boycei Swaine, 1925; Bright, 1981, p. 204; Wood, 1982, p. 1043;
Bright, 2021, p. 491.
County records: Jefferson, Larimer, Park (R22, R35);
Alamosa, Park, Saguache, Teller (GM).

brevis Blackman, 1928; Bright, 1981, p. 247; Wood, 1982,
p. 1065; Bright, 2021, p. 491.
County records: Archuleta, Larimer (R22); Boulder, Huerfano,
Montezuma (GM).

carinulatus Swaine, 1925; Bright, 1981, p. 228; Wood,
1982, p. 1068; Bright, 2021, p. 492.
County records: Teller, Garfield (R22); Gilpin, Huerfano,
Larimer, Mesa, Montrose, Park (GM).

confertus Swaine, 1917; Bright, 1981, p. 305; Wood,
1982, p. 1107; Bright, 2021, p. 494.
County records: Fremont, Jefferson, Larimer (R35);
Arapahoe, Boulder, Chaffee, Denver, Dolores, El
Paso, Garfield, Gilpin, Jefferson, Larimer, Las
Animas; Mesa, Montezuma, Montrose, Otero, Park,
Poutt, Saguache, Weld (GM).

confinis LeConte, 1876; Bright, 1981, p. 267; Wood, 1982,
p. 1079; Bright, 2021, p. 494.
County records: Costilla, Huerfano (R22); El Paso (R35);
Boulder, Costilla, Elbert, Larimer, Ouray, Weld (GM).

crassus Blackman, 1928; Bright, 1981, p. 275; Wood, 1982,
p. 1081; Bright, 2021, p. 495.
County records: Boulder, Douglas, El Paso, Larimer, Summit,
Teller (R22, R35); Park (GM).

deletus LeConte, 1879; Bright, 1981, p. 110; Wood, 1982,
p. 1040; Bright, 2021, p. 495.
County records: Costilla/Huerfano, Jackson, Larimer (R22,
R35); Alamosa, Arapahoe, Boulder, Chaffee, Elbert,
Gilpin, Jefferson, Park (GM).

digestus (LeConte), 1874; Bright, 1981, p. 261; Wood,
1982, p. 1032; Bright, 2021, p. 496.
County records: Boulder, Grand, Larimer (GM). (New
state record).

durus Blackman, 1828, Bright, 1981, p. 252; Wood, 1982, p. 1060; Bright, 2021, p. 497.
County record: Costilla (GM). (New state record).

grandis Blackman, 1928; Bright, 1981, p. 289; Wood, 1982, p. 1106; Bright, 2021, p. 499.
County records: Costilla, El Paso (R22); Mesa (R35); Boulder, Douglas, Jefferson, Larimer, Teller, Weld (GM).

indigus Wood, 1978; Bright, 1981, p. 128; Wood, 1982, p. 1053; Bright, 2021, p. 500.
County record: Jackson (R22).

intextus Swaine, 1917; Bright, 1981, p. 147; Wood, 1982, p. 1089; Bright, 2021, p. 500.
County records: Clear Creek, Dolores, Larimer (GM).
(New state record).

juglandis Blackman, 1928: Bright, 1981, p. 81; Wood, 1982, p. 1123; Bright, 2021, p. 501.
County records: Adams, Arapahoe, Boulder, Denver, El Paso, Jefferson, Larimer, Pueblo, Weld (GM).

keeni (Blackman), 1928; Bright, 1981, p. 209; Wood, 1982, p. 1042; Bright, 2021, p. 501.
County records: Mesa (R35); Chaffee, Fremont, Huerfano, El Paso, Montezuma (GM).

lecontei Bright, 1977; Wood, 1982, p. 1042; Bright, 1981, p. 260; Bright, 2021, p. 501.
County records: Costilla, Fremont (R35); Alamosa, Huerfano, La Plata, Montezuma (GM).

mormon Bright, 1977; Bright, 1981, p. 236; Wood, 1982, p. 1039; Bright, 2021, p. 505.
County records: Pike (GM). (New state record).

murrayanae Blackman, 1922; Bright, 1981, p. 311; Wood, 1982, p. 1103; Bright, 2021, p. 505.
County records: Jackson, Grand, Teller (R22); Adams, Boulder, Jefferson, Larimer, Mesa, Weld (GM).

nitidulus (Mannerheim), 1843; Bright, 1981, p. 167; Wood, 1982, p. 1095; Bright, 2021, p. 506.
County records: Costilla, Huerfano (R35, R41); Mesa (GM).

nitidus Swaine, 1917; Bright, 1981, p. 129; Wood, 1982, p. 1052; Bright, 2021, p. 506.
County records: Montezuma, Teller (R35).

occidentalis Blackman, 1920; Bright, 1981, p. 171; Wood, 1982, p. 1095; Bright, 2021, p. 506.
County records: El Paso, Garfield, Gilpin, Gunnison, Huerfano, Jackson, Larimer, Montezuma, Rio Grande, San Miguel, Teller (R22); Archuleta, Boulder, Chaffee, Clear Creek, Delta, Denver, El Paso, Hinsdale, Montrose, Park, Park/Summit, Teller, Weld (GM).

opaculus LeConte, 1878; Bright, 1981, p. 219; Wood, 1982, p. 1037; Bright, 2021, p. 506.
County records: Costilla, Larimer (R35); Arapahoe, Archuleta, Boulder, Denver, Douglas, El Paso, Gilpin, Hinsdale, Huerfano, Jefferson, Mesa, Weld (GM).

ornatus Blackman, 1928; Bright, 1981, p. 147; Wood, 1982, p. 1090; Bright, 2021, p. 507.
County records: El Paso, Larimer, Ouray (R22).

pinguis (Blackman), 1928; Bright, 1981, p. 210; Wood, 1982, p. 1095; Bright, 2021, p. 507.
County records: Boulder, Larimer (R22); Weld (GM).

pseudotsugae Swaine, 1918; Bright, 1981, p. 162; Wood, 1982, p. 1093; Bright, 2021, p. 508.
County records: Pitkin, Jackson/Grand, Clear Creek/Grand (R22); Costilla, Huerfano, Larimer, Ouray, Routt, San Miguel (GM).

punctifrons Bright, 1966; Bright, 1981, p. 143; Wood, 1982, p. 1035; Bright, 2021, p. 509.
County records: Fremont, Ouray (GM).

scalptus Bright, 1978; Bright, 1981, p. 127; Wood, 1982, p. 1052;

Bright, 2021, p. 510.
County record: Larimer (R22, R35); Ouray (GM).

schwarzi Blackman, 1928; Bright, 1981, p. 273; Wood,
1982, p. 1080; Bright, 2021, p. 510.
County records: Denver, Jefferson, Weld (GM).

sierraensis Bright, 1971; Bright, 1981, p. 259; Wood,
1982, p. 1063; Bright, 2021, p. 511.
County records: Ouray (R22); Clear Creek, Gilpin,
Huerfano, Larimer, Mesa (GM).

solus Blackman, 1928; Bright, 1981, p. 140; Wood,
1982, p. 1048; Bright, 2021, p. 511.
County record: Douglas (GM). (New state record).

toralis Wood, 1964; Bright, 1981, p. 153; Wood,
1982, p. 1062; Bright, 2021, p. 508.
County record: Larimer (GM). (New state record).

tuberculatus Eichhoff, 1878; Bright, 1981, p. 153; Wood,
1982, p. 1062; Bright, 2021, p. 508.
County records: Boulder, Conejos, Denver, La Plata, Larimer,
Mesa, Montezuma (R35); Alamosa, Arapahoe, Archuleta,
Chaffee, Costilla, Dolores, El Paso, Fremont, Gilpin,
Huerfano, Jefferson, Mesa, Montrose, Montezuma, Ouray,
Pike, Pubeelo, Saguache, Weld (GM).

venustus Blackman, 1928; Bright, 1981, p. 233; Wood,
1982, p. 1059; Bright, 2021, p. 514.
County records: Boulder, Summit (R22); Mesa (R39).

virilis Blackman, 1928; Bright, 1981, p. 36; Wood, 1982, p. 1119;
Bright, 2021, p. 514.
County records: El Paso, Larimer, Routt (R22, R35); Douglas
(GM).

Polygraphus Erichson, 1836; Wood, 1982, p. 386; Rabaglia, 2002, p. 800;
Bright, 2021, p. 515.
(3 Nearctic spp., 2 recorded from Colorado).

convexifrons Wood, 1951; Wood, 1982, p. 390; Bright,
2021, p. 517.

County records: Arapahoe, Clear Creek, Gunnison, Jackson, Saguache (R22); Adams, Boulder, Chaffee, Clear Creek, Costilla, Denver, Douglas, El Paso, Grand, Hinsdale, Larimer, Mesa, Mineral, Montrose, Weld (R39).

hoppingi Swaine, 1925; Wood, 1982, p. 390; Bright, 2021, p. 517.

County records: Clear Creek, Grand, Hinsdale, Larimer, Mineral (R39). (New state record).

rufipennis (Kirby), 1837; Wood, 1982, p. 387; Bright, 2021, p. 520.

County records: Adams, Arapahoe, Chaffee, Clear Creek, Costilla, Delta, Denver, Grand, Gunnison, Hinsdale, Jefferson, Larimer, Mesa, Mineral, Montrose, Routt, Weld (GM).

Procryphalus Hopkins, 1915; Wood, 1982, p. 859; Rabaglia, 2002, p. 803; Bright, 2021, p. 524.
(2 spp., both recorded from Colorado).

mucronatus (LeConte), 1879; Wood, 1982, p. 860; Bright, 2021, p. 524.

County records: Jackson, Larimer, Las Animas, Saguache, San Miguel, Ouray (R22); Huerfano (R41); Boulder, Costilla, Dolores, Douglas, Garfield, Jefferson, La Plata, Mesa, Pueblo, Weld (R39).

utahensis Hopkins, 1915; Wood, 1982, p. 859; Bright, 2021, p. 524.

County record: Larimer (R22).

Pseudips Cognato, 2000; Bright, 2012, p. 525.
(2 Nearctic spp., 1 is recorded from Colorado).

mexicanus (Hopkins), 1905; Wood, 1982, p. 674; Bright, 2012, p. 525.

County records: Adams, Arapahoe, Boulder, Gilpin, Gunnison, Jackson, Jefferson, Larimer, Routt, Weld (R22, R39).

Pseudohylesinus Swaine, 1917; Wood, 1982, p. 129; Rabaglia, 2002, p. 800; Bright, 2012, p. 525.
(9 Nearctic spp., 1 is recorded from Colorado).

nebulosus nebulosus (LeConte), 1859; Wood, 1982, p. 132;
Bright, 2012, p. 525.
County records: El Paso, Jefferson, Montezuma, La Plata,
Larimer (R22); Boulder (R39,UC); Costilla, El Paso
(R41).

Scierus LeConte, 1876; Wood, 1982, p. 79; Rabaglia, 2002, p. 799;
Bright, 2012, p. 543.
(2 Nearctic spp., both recorded from Colorado).

annectans LeConte, 1876; Wood, 1982, p. 80; Bright, 2012, p. 543.
County records: Boulder, Garfield, La Plata, Montezuma,
Rio Blanco (R22); Costilla, Denver, Gilpin, Hinsdale,
Jefferson, Larimer, Mesa, Mineral, Teller (GM).

pubescens Swaine, 1924; Wood, 1982, p. 81; Bright, 2012,
p. 525
County records: Garfield, Summit (R22); Larimer (GM).

Scolytus Geoffroy, 1762; Wood, 1982, p. 419; Rabaglia, 2002, p. 801;
Smith and Cognato, 2014, p. 99 Bright, 2021, p. 569.
(20 Nearctic spp., 14 are recorded from Colorado).

mali (Bechstein), 1805; Wood, 1982, p. 426; Smith and
Cognato, 2014, p. 40; Bright, 2021, p. 575.
County record: Larimer (R39). (New state record).

monticolae Swaine, 1917; Wood, 1982, p. 435; Smith and Cognato,
2014, p. 99; Bright, 2021, p. 575.
County records: Custer, Garfield, Jefferson (R36);
Mineral, Pueblo (GM); Boulder, Clear Creek (R39,UC)).

multistriatus (Marsham), 1802; Wood, 1982, p. 430; Smith and
Cognato, 2014, p. 45; Bright, 2021, p. 575.
County records: Mesa, Weld (R36); Adams, Boulder, Denver,
El Paso, Garfield, Gunnison, Larimer, Otero,
Powers, Pueblo, San Miguel (R39).

muticus Say, 1824; Wood, 1982, p. 426; Smith and Cognato, 2014, p.

64; Bright, 2021, p. 576.
County records: Jefferson (R36); Boulder, Denver, El Paso,
Larimer, Phillips, Weld (R39); Douglas (GM).

obelus Wood, 1962; Wood, 1982, p. 442; Smith and Cognato, 2014, p.
107; Bright, 2021, p. 576.
County records: Costilla, Huerfano (R36); Routt (R39).

piceae (Swaine), 1910; Wood, 1982, p. 431; Smith and Cognato,
2014,
p. 114; Bright, 2021, p. 577.
County records: Denver, Larimer (R36); Denver (R39);
Arapahoe (GM).

praeceps LeConte, 1876; Wood, 1982, p. 439; Smith and Cognato,
2014,
p. 120; Bright, 2021, p. 577.
County records: Clear Creek, Eagle (R36).

reflexus Blackman, 1934; Wood, 1982, p. 434; Smith and Cognato,
2014, p. 127; Bright, 2021, p. 578.
County records: Boulder, Chaffee, Clear Creek, Garfield,
Jefferson, Larimer, Mineral, Pueblo, Teller (R36);
Adams, Boulder, Clear Creek, Costilla, El Paso,
Gunnison, Mineral, Montezuma, Rio Grande, Teller, Weld
(R39).

robustus Blackman, 1934; Wood, 1982, p. 437; Smith and
Cognato, 2014, p. 134; Bright, 2021, p. 578.
County records: Grand (GM); Costilla, Huerfano, La Plata
(R36); Adams, Arapahoe, Baca, Cheyenne, El
Paso, Fremont, Larimer, Mineral, Yuma (R39).

rugulosus (Muller), 1818; Wood, 1982, p. 424; Smith and
Cognato, 2014, p. 50; Bright, 2021, p. 578.
County records: Adams, Arapahoe, Baca, Boulder, Denver, El
Paso, Cheyenne, Fremont, Larimer, Weld (GM).

schevyrewi Semenov, 1902; Smith and Cognato, 2014, p. 55;
Bright, 2021, p. 579.
County records: Adams (R36); Arapahoe, Baca, Bent, Boulder,
Delta, Denver, Douglas, El Paso, Fremont, Garfield,
Huerfano, Kit Carson, Larimer, Mesa, Montezuma,
Montrose, Otero, Prowers, Pueblo, Weld, Yuma (GM).

tsugae (Swaine, 1917; Wood, 1982, p. 435; Smith and Cognato, 2014, p. 144; Bright, 2021, p. 575.
County records: Boulder (R39). (New state record).

unispinosus LeConte, 1876; Wood, 1982, p. 432; Smith and Cognato, 2014, p. 149; Bright, 2021, p. 580.
County records: Huerfano (R41); Archuleta, Boulder, Gilpin, Gunnison, Larimer, Mesa (R39).

ventralis LeConte, 1868; Wood, 1982, p. 441; Smith and Cognato, 2014, p. 156; Bright, 2019, p. 580.
County records: Costilla, Huerfano, Las Animas, Pueblo (R36); Jefferson, Weld (R39).

Trypodendron Stephens, 1830; Wood, 1982, p. 746; Rabaglia, 2002, p. 803; Smith and Cognato, 2014, p. 99; Bright, 2021, p. 604.
(5 Nearctic spp., 3 are recorded from Colorado).

retusum (LeConte), 1868; Wood, 1982, p. 750; Bright, 2021, p. 605.
County records: El Paso, Hinsdale, Montrose (R22); Denver, Jefferson (R39); Boulder, Douglas, Costilla, Larimer (GM).

lineatum (Olivier), 1795; Wood, 1982, p. 751; Bright, 2021, p. 605.
County records: Costilla (R41); Boulder, Chaffee, Garfield, Gilpin, Grand, Gunnison, Jackson, Jefferson, La Plata, Routt, Mineral, Teller (R39,GM); Park (R39,UC).

rufitarsus (Kirby), 1837; Wood, 1982, p. 753; Bright, 2021, p. 605.
County records: Garfield, La Plata, Larimer (R22); Adams, Boulder, Custer, Jackson, Saguache (GM).

Trypophloeus Fairmaire, 1868; Wood, 1982, p. 850; Rabaglia, 2002, p. 803; Bright, 2021, 606.
(4 Nearctic spp., 2 are recorded from Colorado).

populi Hopkins, 1915; Wood, 1982, p. 853; Bright, 2021, p. 607.
County records: Larimer (R22); Arapahoe, Boulder, Denver, El Paso, Gunnison, Jackson, Montezuma, Routt, Weld (GM).

striatulus (Mannerheim), 1853; Wood, 1982, p. 851; Bright, 2021, p. 607.

County records: Jackson (R22).

Xyleborinus Reitter, 1913; Wood, 1982, p. 841; Rabaglia, 2002, p. 803; Bright, 2021, p. 610.

(3 Nearctic spp., 1 is recorded from Colorado).

saxesenii (Ratzeburg), 1837; Wood, 1982, p. 847; Bright, 2021, p. 614.

County records: Adams, Arapahoe, Boulder, Delta, Denver, Douglas, El Paso, Garfield, Jefferson, Larimer, Mesa, Montrose, Weld (GM).

Xyleborus Eichhoff, 1864; Rabaglia, 2002, p. 803; Bright, 2021, p. 616. (17 Nearctic spp., 2 are recorded from Colorado).

celsus Eichhoff, 1864; Wood, 1982, p. 839; Bright, 2021, p. 635.

County records: Denver (R39). (New state record, accidental ?)

intrusus Blandford, 1898; Wood, 1982, p. 839; Bright, 2021, p. 605 (also recorded as *X.pubescens*).

County records: Adams, Boulder, El Paso, Fremont, Jefferson, Larimer, La Plata, Las Animas, Montezuma, Pueblo, Teller, Weld (R39); Arapahoe, Clear Creek, Denver, Douglas, Elbert, El Paso, Jefferson (GM).

Xylechinus Chapuis, 1869; 1940; Wood, 1982, p. 143; Rabaglia, 2002, p. 800; Bright, 2021, p. 642.

(2 Nearctic spp., 1 is recorded from Colorado).

montanus Blackman, 1922; Wood, 1982, p. 147; Bright, 2021, p. 643.

County records: San Miguel/Dolores, Garfield (R22).

Xylosandrus Reitter, 1913; Wood, 1982, p. 764; Rabaglia, 2002, p. 803; Bright, 2021, p. 647.

(4 Nearctic spp., 1 is recorded from Colorado).

crassiusculus (Motschulsky), 1866; Wood, 1982, p. 766; Bright, 2021, p. 648.

County records: Denver, Larimer, Weld (GM) (introduced). New state record.

SUBFAMILY THECESTERNINAE

Thecesternus Say, 1831; O'Brien & Wibmer, 1982, p. 71; Anderson, 2002, p. 781.

(7 Nearctic spp., 2 are recorded from Colorado).

affinis (LeConte), 1856; O'Brien & Wibmer, 1982, p. 71.

County record: Montezuma (R39); Boulder (R39,UC)).

humeralis (Say), 1826; O'Brien & Wibmer, 1982, p. 71.

County records: Arapahoe, Boulder (R39); Denver, El Paso, Fremont, Larimer, Ouray, Pueblo (R41).

SUBFAMILY TYCHINAE

Elleschus Dejean, 1821; O'Brien and Wibmer, 1982, p. 116;

Anderson, 2002, p. 738.

(4 Nearctic spp., 1 is recorded herein from Colorado).

eppippiatus (Say), 1831; O'Brien and Wibmer, 1982, p. 116.

County records: Alamosa, Costilla, Huerfano, Larimer (R41); Weld (GM); Arapahoe, Denver, Jefferson (R39,UC). (New state record).

Ligynodes Dejean, 1835; O'Brien and Wibmer, 1982, p. 116; Anderson, 2002, p. 739.

(17 Nearctic spp., 2 are recorded from Colorado).

bischoffi (Blatchley) 1916; O'Brien and Wibmer, 1982, p. 117.

County record: Fremont (R18).

helvolus (LeConte), 1876; O'Brien and Wibmer, 1982, p. 117.

County record: Larimer (R18).

Proctorus LeConte, 1876; O'Brien & Wibmer, 1982, p. 116; Anderson, 2002, p. 738.

(2 Nearctic spp., 1 is recorded from Colorado).

decipiens (LeConte), 1876; O'Brien & Wibmer, 1982, p. 116.

County records: Costilla, Huerfano (R41).

Tychius Germar, 1817; Clark, 1971; Brien & Wibmer, 1982, p. 118;
Anderson 2002, p. 739.

(16 Nearctic spp., 9 are recorded from Colorado).

badius Clark, 1971; O'Brien & Wibmer, 1982, p. 118.

County records: Archuleta, La Plata (R20).

liljebaldi Blatchely, 1916; O'Brien & Wibmer, 1982, p.
118.

County record: Denver (R20).

lineellus LeConte, 1876; O'Brien & Wibmer, 1982, p.118.

County records: Boulder, Denver, El Paso, Garfield
(R20); El Paso, Jefferson (R41).

picrostris (Fabricius), 1787; O'Brien & Wibmer, 1982,
p.118.

County record: Boulder (R39,UC)).

semisquamosus LeConte, 1876; O'Brien & Wibmer, 1982, p.
118.

State record only (R15).

soltau Casey, 1892; O'Brien & Wibmer, 1982, p.118.

County record: Denver, Weld (R20).

sordidus LeConte, 1876; O'Brien & Wibmer, 1982, p. 118.

County record (R39,UC)).

stephensi Schönherr, 1836; O'Brien & Wibmer, 1982, p. 119.

County records: Larimer, San Miguel (R20); Otero
(R39,GM).

tectus LeConte, 1876; O'Brien & Wibmer, 1982, p. 119.

County records: Chaffee, Boulder, El Paso, Costilla, La
Plata, Archuleta, Weld (R20); Larimer, Montrose (R41).

References Cited by reference ("R..") number

(R1) O'Brien, C. W. 1970. A taxonomic revision of the weevil genus

Dorytomus in North America (Coleoptera: Curculionidae). University of California Publications in Entomology 60. 80 pp.

- (R2) O'Brien, L. B. 1989. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamily: Pissodinae. United States Department of Agriculture, Agriculture Handbook 529-143d. 8 pp.
- (R3) O'Brien, C. W. and G. Benn Marshall. 1986. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamily: Hylobiinae. United States Department of Agriculture, Agriculture Handbook 529-143c. 11 pp.
- (R4) O'Brien, C. W. and D. M. Anderson. 1996. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamily: Eriirhininae. United States Department of Agriculture, Agriculture Handbook 529-143f. 39 pp.
- (R5) Wibmer, G. J. 1981. Revision of the New World weevil genus *Tyloderma* in America north of Mexico (Coleoptera: Curculionidae: Cryptorhynchinae). The Southwestern Entomologist, Supplement 3. 95 pp.
- (R6) Anderson, R. S. 1987. Systematics, phylogeny and biography of New World weevils traditionally of the tribe Cleonini (Coleoptera: Curculionidae: Cleonini). Questiones Entomologicae 23:431-709.
- (R7) Anderson, R. S. 1989. Revision of the subfamily Rhynchaeninae in North America (Coleoptera: Curculionidae). Transactions of the American Entomological Society 115:207-312.
- (R8) Anderson, D. M. 1962. The weevil genus *Smicronyx* in America north of Mexico (Coleoptera: Curculionidae). Proceedings of the United States National Museum 3456, Volume 113:185-372.
- (R9) Bright, D. E. 1994. Revision of the genus *Sitona* (Coleoptera: Curculionidae) of North America. Annals of the Entomological Society of America 87:277-306.

- (R10) Clark, W. E. and H. R. Burke. 2005. Revision of the subgenus *Cnemocyllus* Dietz of the weevil genus *Anthonomus* Germar (Coleoptera: Curculionidae, Anthonomini. *Insecta Mundi* 19:1-54.
- (R11) Anderson, R. S. 2002. 131. Curculionidae Latreille 1802 Pages 722-815 in *American Beetles*
- (R12) Hespenheide, H. A. 2003. New *Lechriops* species for the United States (Coleoptera: Curculionidae: Conoderinae). *The Coleopterists Bulletin* 57:345-352.
- (R13) Howden, A. T. 1959. A revision of the species of *Pandeleiteius* Schönherr and *Pandeleiteinus* Champion of America north of Mexico (Coleoptera: Curculionidae). *Proceedings of the California Academy of Sciences, Fourth Series*, 29 (10): 361-421.
- (R14) Kumar, R., R. J. Lavigne, J. E. Lloyd and R. E. Pfadt. 1976. *Insects of the Central Plains Experimental Range, Pawnee National Grassland. Agricultural Experiment Station, University of Wyoming, Laramie, Wyoming, Science Monograph 32. 74 pp.*
- (R15) O'Brien, C. W. and G. J. Wibmer,. 1982. Annotated checklist of the weevils (Curculionidae sensu lato) of North America, Central America, and the West Indies (Coleoptera: Curculionoidea). *Memoirs of the American Entomological Institute* 34. 382 pp.
- (R16) Prena, J. 2008. Review of *Odontocorynus* Schönherr (Coleoptera: Curculionidae: Baridinae) with descriptions of four new species. *The Coleopterists Bulletin* 62:243-277.
- (R17) Prena, J. 2012. A review of *Rhoptoboris* LeConte (Coleoptera: Curculionidae: Baridinae) from North and Central America. *The Coleopterists Bulletin* 66:233-244.
- (R18) Clark, W. E. 1980. Revision of Nearctic weevils of the genus *Lignyodes* Dejean (Coleoptera: Curculionidae). *Transactions of the American Entomological Society* 106(3):273-326.
- (R19) Howden, A. T. 1993. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, subfamily: Polydrosinae, tribe: Tanymecini. United States Department of Agriculture, Agriculture

Handbook 529-143e. 13 pp.

- (R20) Clark, W. E. 1971. A taxonomic revision of the weevil genus *Tychius* Germar in America north of Mexico (Coleoptera: Curculionidae). Brigham Young University Science Bulletin 13(3):1-39.
- (R21) Kissinger, D. G. 1970. Curculionidae tribe Ophryastini of North America (Coleoptera). Taxonomic Publications, South Lancaster, MA. 238 pp.
- (R22) Wood, S. L. 1982. The bark and ambrosia beetles of North and Central America (Coleoptera: Scolytidae), a taxonomic monograph. Great Basin Naturalist Memoirs 6. 1359 pp.
- (R23) Clark, W. E., H. R. Burke, R. W. Jones and R. S. Anderson. 2019. The North American species of *Anthonomus squamosus* species-group Coleoptera: Curculionidae: Curculioninae: Anthonomini. The Coleopterist Bulletin 73:773-827.
- (R24) Chittenden, F. H. 1930. New species of North American weevils of the genus *Lixus*. Proceedings of the United States National Museum 77(18):1-26.
- (R25) Clark, W. E. and H. R. Burke. 2001. Revision of the weevil genus *Epimechus* Dietz (Coleoptera: Curculionidae: Anthonomini). Insecta Mundi 15(2):95-116.
- (R26) Scheibner, R. A. 1963. A taxonomic study of the genus *Ceutorhynchus* (Coleoptera, Curculionidae). Unpublished Ph.D dissertation, Michigan State University. University Microfilms, Inc.: Ann Arbor, Michigan.
- (R27) Omitted see (R3)
- (R28) Omitted see (R39)
- (R29) Buchanan, L. L. 1946. Notes on American *Rhyncolus*, with description of a new species (Coleoptera, Curculionidae). Bulletin of the Brooklyn Entomological Society 41:129-136.
- (R30) Jansen M. A. and N. M. Franz. 2015. Phylogenetic revision of *Minyomeres* Horn, 1876 sec. Jansen & Franz, 2015 (Coleoptera,

- Curculionidae) using taxonomic concept annotations and alignments. ZooKeys 528:1-133
- (R31) Anonomus, 2018. Bark and Ambrosia Beetles of... available from: http://www.barkbeetles./regional_chklist_target_species.php?lookUp=381.
- (R32) Buchanan, L. L. 1929. Proceedings of the United States National Museum 76:1-14.
- (R33) Titus, E. G. 1911. Genera *Hypera* and *Phytonomus* in America North of Mexico. Annals of the Entomological Society of America 4(4):383-473.
- (R34) Bright, D. E. 2014. A catalog of Scolytidae and Platypodidae (Coleoptera) (2000-2010), with notes on subfamily and tribal reclassifications. Insecta Mundi 0356: 1-336.
- (R35) Bright, D. E. 1981. Taxonomic Monograph of the Genus *Pityophthorus* Eichhoff in North and Central America. Memoirs of the Entomological Society of Canada 118. 378 pp.
- (R36) Smith, S. M. and A. I. Cognato. A taxonomic monograph of Nearctic *Scolytus* Geoffroy (Coleoptera, Curculionidae, Scolytinae). ZooKeys 450, 182 pp.
- (R37) Bright, D. E. 2019, A Catalog of Scolytidae (Coleoptera), Supplement 4 (2011-2019) with An Annotated Checklist of the World Fauna (Coleoptera: Curculionidea: Scolytidae). Contributions of the C. P. Gillette Museum of Arthropod Diversity, Miscellaneous Publications, Department of Agriculture Biology, Colorado State University, 654 pp. Available at Publications-C. P. Gillette Museum of Arthropod Diversity (mountainscholar.org).
- (R38) O'Brien, C. W. 1970. A taxonomic revision of the genus *Gerstaeckeria* north of Mexico (Coleoptera: Curculionidae). Annals of the Entomological Society of America 63:255-272.
- (R39) Franz, N. M., M. L. Chamorro, D. Fleming, G. P. Setliff and C. M. O'Brien. 2012. Weevils of North America (WONA). Symbiota Collections of Arthropods Network. Available at: scan-bugs.org/portal/checklist/checklist.php?cl=1 or scan-bugs.org/portal/collections/index.php.

- (R40) Bright, D. E. 1963. Bark Beetles of the genus *Dryocoetes* (Coleoptera: Scolytidae) in North America. *Annals of the Entomologica Society of America* 56:103-115.
- (R41) Wickham, H. F. 1902. A Catalog of the Coleoptera of Colorado. *Bulletin from the Laboratories of Natural History of the State University of Iowa* 5:218-310.
- (R42) LeConte, J. L. 1878. The Coleoptera of the Alpineinae, Rocky Mountain Regions.-Part II. *Bull. U. S. Geol. Geogr. Surv. Terr.* 4(2):499-520.
- (R43) O'Brien, C. W. 1997. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamilies: Acicnemidinae, Cossoninae, Rhytirrhinae, Molytinae, Petalochilinae, Trypetidinae, Dryophthorinae, Tachygoninae, Thecesterninae. United States Department of Agriculture, Agriculture Handbook 529-143g. 48 pp.
- (R44) Vaurie, P. 1983. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamily: Rhynchophorinae. United States Department of Agriculture, Agriculture Handbook 529-143a. 26 pp.

References by author

- Anderson, D. M. 1962. The weevil genus *Smicronyx* in America north of Mexico (Coleoptera: Curculionidae). *Proceedings of the United States National Museum* 3456, Volume 113:185-372. (R8)
- Anderson, R. S. 1987. Systematics, phylogeny and biography of New World weevils traditionally of the tribe Cleonini (Coleoptera: Curculionidae: Cleonini). *Questiones Entomologicae* 23:431-709. (R6)
- Anderson, R. S. 1989. Revision of the subfamily Rhynchaeninae in North America (Coleoptera: Curculionidae). *Transactions of the American Entomological Society* 115:207-312. (R7)
- Anderson, R. S. 2002. 131. Curculionidae Latreille 1802 Pages 722-815 in *American Beetles* (R11)
- Anonymus, 1981. Geographic Names Information System (GNIS), State of Colorado, Geographic Names Information Management, Branch of

Geographic Names, Office of Geographic Research, National Mapping Division, U. S. Geological Survey. 600 pages. (Copy in C. P. Gillette Museum, CSU, Fort Collins).

Anonimus, 2018. Bark and Ambrosia Beetles of...Available from:
[http://www.barkbeetles./regional_chklist_target_species.php?](http://www.barkbeetles./regional_chklist_target_species.php?lookUp=381)
lookUp
lookUp=381. (R31)

Bright, D. E. 1963. Bark Beetles of the genus *Dryocoetes* (Coleoptera: Scolytidae) in North America. Annals of the Entomologica Society of America 56:103-115. (R40)

Bright, D. E. 1981. Taxonomic Monograph of the Genus *Pityophthorus* Eichhoff in North and Central America. Memoirs of the Entomological Society of Canada 118. 378 pp. (R35)

Bright, D. E. 1994. Revision of the genus *Sitona* (Coleoptera: Curculionidae) of North America. Annals of the Entomological Society of America 87:277-306. (R9)

Bright, D. E. 2014. A catalog of Scolytidae and Platypodidae (Coleoptera) (2000-2010), with notes on subfamily and tribal reclassifications. Insecta Mundi 0356: 1-336. (R34)

Bright, D. E. 2021. A Catalog of Scolytidae (Coleoptera), Supplement 4 (2011-2019) with An Annotated Checklist of the World Fauna (Coleoptera: Curculionidea: Scolytidae). Contributions of the C. P. Gillette Museum of Arthropod Diversity, Miscellaneous Publications,
Department of Agriculture Biology, Colorado State University, 654 pp. Available at Publications-C. P. Gillette Museum of Arthropod Diversity (mountainscholar.org). (R37)

Buchanan, L. L. 1929. North American species of the weevils of the otiorhynchid genus *Mesagroicus*. Proceedings of the United States National Museum 76:1-14. (R32)

Buchanan, L. L. 1946. Notes on American *Rhyncolus*, with description of a new species (Coleoptera, Curculionidae). Bulletin of the Brooklyn Entomological Society 41:129-136. (R29)

- Chittenden, F. H. 1930. New species of North American weevils of the genus *Lixus*. Proceedings of the United States National Museum 77(18):1-26.
(R24)
- Clark, W. E. 1971. A taxonomic revision of the weevil genus *Tychius* Germar in America north of Mexico (Coleoptera: Curculionidae). Brigham Young University Science Bulletin 13(3):1-39. (R20)
- Clark, W. E. 1980. Revision of Nearctic weevils of the genus *Lignyodes* Dejean (Coleoptera: Curculionidae). Transactions of the American Entomological Society 106(3):273-326. (R18)
- Clark, W. E. and H. R. Burke. 2005. Revision of the subgenus *Cnemocyllus* Dietz of the weevil genus *Anthonomus* Germar (Coleoptera: Curculionidae, Anthonomini. Insecta Mundi 19:1-54. (R10)
- Clark, W. E. and H. R. Burke. 2001. Revision of the weevil genus *Epimechus* Dietz (Coleoptera: Curculionidae: Anthonomini). Insecta Mundi ??? (R25)
- Clark, W. E., H. R. Burke, R. W. Jones and R. S. Anderson. 2019. The North American species of *Anthonomus squamosus* species-group (Coleoptera: Curculionidae: Curculioninae: Anthonomini). The Coleopterist Bulletin 73:773-827. (R23)
- Franz, N. M., M. L. Chamorro, D. Fleming, G. P. Setliff and C. M. O'Brien. 2012. Weevils of North America (WoNA). Symbiota Collections of Arthropods Network.
Available at: scan-bugs.org/portal/checklist/checklist.php?cl=1.
(R39)
- Hespenheide, H. A. 2003. New *Lechriops* species for the United States (Coleoptera: Curculionidae: Conoderinae). The Coleopterists Bulletin 57:345-352. (R12)
- Howden, A. T. 1959. A revision of the species of *Pandeleteius*

- Schönherr and *Pandeleiteinus* Champion of America north of Mexico (Coleoptera: Curculionidae). Proceedings of the California Academy of Sciences, Fourth Series, 29 (10): 361-421. (R13)
- Howden, A. T. 1993. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, subfamily: Polydrosinae, tribe: Tanymecini. United States Department of Agriculture, Agriculture Handbook 529-143e. 13 pp. (R19)
- Jansen M. A. and N. M. Franz. 2015. Phylogenetic revision of *Minyomeres* Horn, 1876 sec. Jansen & Franz, 2015 (Coleoptera, Curculionidae) using taxonomic concept annotations and alignments. ZooKeys 528:1-133. (R30)
- Kissinger, D. G. 1970. Curculionidae tribe Ophryastini of North America (Coleoptera). Taxonomic Publications, South Lancaster, MA. 238 pp. (R21)
- Kumar, R., R. J. Lavigne, J. E. Lloyd and R. E. Pfadt. 1976. Insects of the Central Plains Experimental Range, Pawnee National Grassland. Agricultural Experiment Station, University of Wyoming, Laramie, Wyoming, Science Monograph 32. 74 pp. (R14)
- LeConte, J. L. 1878. The Coleoptera of the Alpine Rocky Mountain Regions.-Part II. Bull. U. S. Geol. Geogr. Surv. Terr. 4(2):499-520. (R42)
- O'Brien, C. W. 1970. A taxonomic revision of the genus *Gerstaeckeria* north of Mexico (Coleoptera: Curculionidae). Annals of the Entomological Society of America 63:255-272. (R38)
- O'Brien, C. W. 1970. A taxonomic revision of the weevil genus *Dorytomus* in North America (Coleoptera: Curculionidae). University of California Publications in Entomology 60. 80 pp. (R1)
- O'Brien, C. W. 1997. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamilies: Acicnemidinae, Cossoninae, Rhytirrhinae, Molytinae, Petalochilinae, Trypetidinae, Dryophthorinae, Tachygoninae, Thecesterninae. United States Department of Agriculture, Agriculture Handbook 529-143g. 48 pp. (R43)

- O'Brien, C. W. and G. Benn Marshall. 1986. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamily: Hylobiinae. United States Department of Agriculture, Agriculture Handbook 529-143c.11 pp. (R3)
- O'Brien, L. B. 1989. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamily: Pissodinae. United States Department of Agriculture, Agriculture Handbook 529-143d. 8 pp. (R2)
- O'Brien, C. W. and D. M. Anderson. 1996. A Catalog of the Coleoptera of America north of Mexico. Family: Curculionidae, Subfamily: Eriirhininae. United States Department of Agriculture, Agriculture Handbook 529-143f. 39 pp. (R4)
- O'Brien, C. W. and G. J. Wibmer,. 1982. Annotated checklist of the weevils (Curculionidae sensu lato) of North America, Central America, and the West Indies (Coleoptera: Curculionoidea). Memoirs of the American Entomological Institute 34. 382 pp. (R15)
- Prena, J. 2008. Review of *Odontocorynus* Schönherr (Coleoptera: Curculionidae: Baridinae) with descriptions of four new species. The Coleopterists Bulletin 62:243-277. (R16)
- Prena, J. 2012. A review of *Rhoptoboris* LeConte (Coleoptera: Curculionidae: Baridinae) from North and Central America. The Coleopterists Bulletin 66:233-244. (R17)
- Scheibner, R. A. 1963. A taxonomic study of the genus *Ceutorhynchus* (Coleoptera, Curculionidae). Unpublished Ph.D dissertation, Michigan State University. University Microfilms, Inc.: Ann Arbor, Michigan. (R26)
- Smith, S. M. and A. I. Cognato. A taxonomic monograph of Nearctic *Scolytus* Geoffroy (Coleoptera, Curculionidae, Scolytinae). ZooKeys 450, 182 pp. (R36)
- Titus, E. G. 1911. Genera *Hypera* and *Phytonomus* in America North of Mexico. Annals of the Entomological Society of America 4(4):383-473. (R33)
- Vaurie, P. 1983. A Catalog of the Coleoptera of America north of Mexico.

Family: Curculionidae, Subfamily: Rhynchophorinae. United States
Department of Agriculture, Agriculture Handbook 529-143a. 26 pp.
(R44) .

Wibmer, G. J. 1981. Revision of the New World weevil genus *Tyloderma* in
America north of Mexico (Coleoptera: Curculionidae:
Cryptorhynchinae).
The Southwestern Entomologist, Supplement 3. 95 pp. (R5)

Wickham, H. F. 1902. A Catalog of the Coleoptera of Colorado. Bulletin
from the Laboratories of Natural History of the State University of
Iowa 5:218-310. (R41)

Wood, S. L. 1982. The bark and ambrosia beetles of North Central America
(Coleoptera: Scolytidae), a taxonomic monograph. Great Basin
Naturalist Memoirs 6. 1359 pp. (R22)

INDEX OF COLORADO GENERA OF CURCULIONIDAE

<i>Acalles</i>	28	<i>Crypturgus</i>	64
<i>Acanthoselidius</i>	21	<i>Cryptorhynchus</i>	28
<i>Acmaegenius</i> Germar.	35	<i>Curculio</i>	30
<i>Allosiocalus</i>	22	<i>Cylindrocopturus</i>	26
<i>Anametis</i>	35	<i>Cylindridia</i>	18
<i>Anthonomopsis</i>	10	<i>Cyphocleonus</i>	52
<i>Anthonomus</i>	10		
<i>Apinocis</i>	15	<i>Dendrocranulus</i>	64
<i>Apleurus</i>	52	<i>Dendroctonus</i>	65
<i>Aragnomus</i>	36	<i>Diamimus</i>	37
<i>Auleutes</i>	22	<i>Dichoxenus</i>	37
		<i>Dietzella</i>	24
<i>Bagous</i>	14	<i>Dorytomus</i>	46
<i>Barilepton</i>	15	<i>Dryocoetes</i>	66
<i>Baris</i>	15	<i>Dyslobus</i>	38
<i>Barypeithes</i>	36		
		<i>Epicaerus</i>	38
<i>Cactophagus</i>	33	<i>Epimechus</i>	13
<i>Cactopinus</i>	62	<i>Elleschus</i>	83
<i>Calandrinus</i>	17	<i>Ericydeus</i>	38
<i>Calyptillus</i>	36	<i>Eubrychiopsis</i>	24
<i>Carphoborus</i>	63	<i>Eurhoptus</i>	29
<i>Carphonotus</i>	73		
<i>Centrinaspis</i>	17	<i>Gerstaeckeria</i>	29
<i>Centrinogyna</i>	17	<i>Glocianus</i>	24
<i>Cercopedius</i>	36	<i>Gnathotrichus</i>	66
<i>Ceutorhynchus</i>	22	<i>Graphorhinus</i>	38
<i>Chaetechidius</i>	36	<i>Grypus</i>	47
<i>Chaetophloeus</i>	63		
<i>Chelonychus</i>	11	<i>Hadroplantus</i>	24
<i>Cimbocera</i>	37	<i>Hesperobaris</i>	18
<i>Cnemogonus</i>	23	<i>Homorosoma</i>	24
<i>Coccotorus</i>	13	<i>Hylastes</i>	67
<i>Compsus</i>	37	<i>Hylesinus</i>	68
<i>Coniatus</i>	51	<i>Hylobius</i>	59
<i>Conotrachelus</i>	58	<i>Hylurgops</i>	68
<i>Conophthorus</i>	63	<i>Hypera</i>	51
<i>Corthylus</i>	64	<i>Hypoestheschus</i>	47
<i>Cosmobaris</i>	17		
<i>Cossonus</i>	27	<i>Ips</i>	69
<i>Cryphalus</i>	64	<i>Isochnus</i>	61

<i>Laemosaccus</i>	57
<i>Larinus</i>	53
<i>Lechriops</i>	26
<i>Lepidophorus</i>	38
<i>Lepyrus</i>	59
<i>Lignyodes</i>	83
<i>Listronotus</i>	31
<i>Lixus</i>	53
<i>Macrorhoptus</i>	13
<i>Madarellus</i>	18
<i>Magdalis</i>	57
<i>Mecinus</i>	56
<i>Melanolemma</i>	39
<i>Mesagroicus</i>	39
<i>Microlarinus</i>	54
<i>Miloderoides</i>	39
<i>Minyomerus</i>	39
<i>Monarthrum</i>	70
<i>Myrmex</i>	61
<i>Nedys</i>	24
<i>Nicentrus</i>	18
<i>Notaris</i>	48
<i>Notiodes</i>	48
<i>Odontocorynus</i>	18
<i>Omius</i>	39
<i>Onychobaris</i>	19
<i>Ophryastes</i>	40
<i>Orchestes</i>	61
<i>Orimodema</i>	41
<i>Orthoris</i>	19
<i>Orthotomicus</i>	70
<i>Otiorhynchus</i>	41
<i>Pachygeraeus</i>	19
<i>Pachysquamus</i>	71
<i>Pachyrhinus</i>	41
<i>Pandeleteinus</i>	42
<i>Pandeleteius</i>	42
<i>Panscopus</i>	42
<i>Pantomorus</i>	42

<i>Paracimbocera</i>	43
<i>Pelonomus</i>	25
<i>Peritaxia</i>	43
<i>Phloeosinus</i>	71
<i>Phloeotribus</i>	71
<i>Phyllotrox</i>	48
<i>Phyxelis</i>	43
<i>Pissodes</i>	59
<i>Pityogenes</i>	72
<i>Pityokteines</i>	72
<i>Pityophthorus</i>	73
<i>Polydrusus</i>	43
<i>Polygraphus</i>	77
<i>Procas</i>	49
<i>Procryphalus</i>	78
<i>Proctorus</i>	83
<i>Promecotarsus</i>	49
<i>Pseudips</i>	78
<i>Pseudoanthonomus</i>	14
<i>Pseudobaris</i>	20
<i>Pseudohylesinus</i>	79
<i>Pycnobaris</i>	20
<i>Rhinocyllus</i>	54
<i>Rhinoncus</i>	25
<i>Rhinusa</i>	57
<i>Rhodoaenus</i>	33
<i>Rhoptobaris</i>	20
<i>Rhypodillus</i>	44
<i>Rhyssomatus</i>	60
<i>Rhyncolus</i>	27
<i>Rutidosoma</i>	25
<i>Scaphomorphus</i>	54
<i>Sciapilus</i>	44
<i>Scierus</i>	79
<i>Scolytus</i>	79
<i>Scyphophorus</i>	33
<i>Sibariops</i>	21
<i>Sirocalodes</i>	25
<i>Sitona</i>	44
<i>Sitophilus</i>	33
<i>Smicronyx</i>	49

<i>Sphenophorus</i>	34
<i>Stenoscelis</i>	28
<i>Stephanocleonus</i>	54
<i>Strophosoma</i>	45
 <i>Tachyerges</i>	 62
<i>Tachygonus</i>	26
<i>Tachypterellus</i>	14
<i>Tanymecus</i>	45
<i>Thecesternus</i>	83
<i>Thinoxenus</i>	45
<i>Touronotaris</i>	51
<i>Trachyphloeus</i>	45
<i>Treptoplatypus</i>	61

<i>Trichobaris</i>	21
<i>Trichalophus</i>	45
<i>Trichosirocalus</i>	25
<i>Trypodendron</i>	81
<i>Trypophloeus</i>	81
<i>Tychius</i>	84
<i>Tyloderma</i>	29
 <i>Xyleborinus</i>	 82
<i>Xyleborus</i>	82
<i>Xylechinus</i>	82
<i>Xylosandrus</i>	82
 <i>Zescelis</i>	 30

